




Ministry of Environment and Energy  
National Environmental Research Institute

# The Danish CORINAIR Inventories

Time series 1975-1996 of Emissions to the Atmosphere

*NERI Technical Report No. 287*

*[Blank page]*



Ministry of Environment and Energy  
National Environmental Research Institute

---

# The Danish CORINAIR Inventories

Time series 1975-1996 of Emissions to the Atmosphere

*NERI Technical Report No. 287*  
**1999**

*Morten Winther*  
*Jytte Boll Illerup*  
Department of Policy Analysis

*Jørgen Fenhann*  
*Niels Kilde*  
Department of System Analysis, Risø National Laboratory

## Data sheet

Title: The Danish CORINAIR Inventories  
Subtitle: Time series 1975-1996 of Emissions to the Atmosphere

Authors: Morten Winther<sup>1</sup>, Jytte Boll Illerup<sup>1</sup>, Jørgen Fenhann<sup>2</sup>, Niels Kilde<sup>2</sup>  
Departments: <sup>1</sup>Department of Policy Analysis  
<sup>2</sup>Department of System Analysis, Risø National Laboratory

Serial title and no.: NERI Technical Report No. 287

Publisher: Ministry of Environment and Energy  
National Environmental Research Institute ©  
URL: <http://www.dmu.dk>

Date of publication: September 1999

Referee: Lise Walsted Kristiansen  
Layout: Ann-Katrine Holme Christoffersen  
Drawings: Morten Winther

Please cite as: Winther, M. Illerup, J.B., Fenhann, J., Kilde, N., (1999): The Danish CORINAIR Inventories. Time series 1975-1996 of Emissions to the Atmosphere. The National Environmental Research Institute, Roskilde, Denmark. 83 p.. NERI Technical Report no. 287.

Reproduction is permitted, provided the source is explicitly acknowledged.

Abstract: CORINAIR is the most comprehensive European air emission inventory programme. It consists of a defined emission calculation methodology and software for storing and further data processing. In CORINAIR 28 different emission species are estimated in 11 main sectors which are further sub-divided, and all emission sources are regarded as either area or large point sources. According to the CORINAIR guidelines the emissions are calculated as activities times emission factors. Activities are numbers referring to the specific emission generating processes, while emission factors are the mass of emissions per unit activity. This report describes the structure of the Danish CORINAIR emission inventory on a 1996 level and international conventions to which Denmark submits emission data. Furthermore the most important activities in the Danish inventory are explained. Subsequently the Danish 1996 emissions are viewed sector-wise and compared with EU per capita levels, and in addition the Danish national and international emissions are shown on time series from 1975 to 1996.

Keywords: CORINAIR, Danish total emissions, SO<sub>2</sub>, NO<sub>x</sub>, NMVOC, CH<sub>4</sub>, CO, CO<sub>2</sub>, N<sub>2</sub>O, NH<sub>3</sub>, Heavy Metals

Editing completed: September 1999

ISBN: 87-7772-488-7  
ISSN: 0905-815X  
ISSN (electronic): 1600-0048

Paper quality and print: Cyclus Office, Hvidovre Kopi  
Number of pages: 83  
Circulation: 200  
Price: DKK. 100,- (incl. 25% VAT, excl. freight)

Internet version: Available at <http://technical-reports.dmu.dk> in PDF format.

For sale at: National Environmental Research Institute  
PO Box 358  
Frederiksborgvej 399  
DK-4000 Roskilde  
Denmark  
Tel.: +45 46 30 12 00  
Fax: +45 46 30 11 14

Miljøbutikken  
Information and Books  
Læderstræde 1  
DK-1201 Copenhagen K  
Denmark  
Tel.: +45 33 95 40 00  
Fax: +45 33 92 76 90  
[butik@mem.dk](mailto:butik@mem.dk)  
[www.mem.dk/butik](http://www.mem.dk/butik)

# Contents

## Summary 5

## 1 Introduction 8

## 2 The CORINAIR emission inventory system 10

- 2.1 Administrative overview 10
- 2.2 The CORINAIR structure 11
  - 2.2.1 Main categories in CORINAIR 12
  - 2.2.2 Large point sources and area sources 14
- 2.3 Traffic emission sub models in CORINAIR 14
  - 2.3.1 Road traffic 15
  - 2.3.2 Off road emission models 16

## 3 International conventions 21

## 4 Activity data 25

- 4.1 Fuel consumption 25
- 4.2 Solvent use 27
- 4.3 Livestock 28

## 5 Emissions 29

- 5.1 Sulphur dioxide (SO<sub>2</sub>) 29
- 5.2 Nitrogen oxides (NO<sub>x</sub>) 31
- 5.3 Non-Methane Organic Compounds (NMVOC) 32
- 5.4 Methane (CH<sub>4</sub>) 34
- 5.5 Carbon monoxide (CO) 35
- 5.6 Carbon dioxide (CO<sub>2</sub>) 37
- 5.7 Nitrous oxide (N<sub>2</sub>O) 39
- 5.8 Ammonia (NH<sub>3</sub>) 41
- 5.9 Heavy metals 42
- 5.10 Large point and area source emissions 46
- 5.11 International emissions 48

## 6 References 51

## Appendix 1 53

## Appendix 2 69

## Appendix 3 70

*[Blank page]*

# Summary

Since 1994 the National Environmental Research Institute (NERI) has made the annual Danish air emission inventories within the frame of the European CORINAIR (CORe Inventory to the AIR) air emission inventory system. In this report the structure of CORINAIR is explained on a 1996 level with respect to pollutants comprised, the categorisation of emission sources in sectors and emission calculation principles.

International conventions to which Denmark submits emission data are also described together with the most important activity data used in the Danish emission inventory. The Danish 1996 emissions are described in sectors and compared with EU per capita levels and in addition the Danish national and international emissions are shown as time series from 1975 to 1996.

## **The CORINAIR emission inventory system**

CORINAIR is the most extensive European air emission inventory programme with a defined emission calculation methodology and software for storing and further data processing. In CORINAIR a total number of 28 different emission species are estimated in 11 main sectors further divided in more detailed second and third levels. The emission sources are regarded as either area or large point sources according to specific CORINAIR definitions.

The CORINAIR calculation principle is to calculate the emissions as activities time emission factors. Activities are numbers referring to a specific process generating emissions, while an emission factor is the mass of emissions per unit activity. Information on activities to carry out the CORINAIR inventory is mainly obtained from official statistics. The most consistent emission factors are used and are either measured values or default factors proposed by the CORINAIR methodology.

For road traffic a special calculation model has been developed within the EU in compliance with the CORINAIR structure. The model calculates the emissions from operationally hot vehicles, the extra emissions during cold start and evaporative emissions. The calculations take into account the composition of the vehicle fleet, the annual mileage driven and the specific emission factors (emissions per driven kilometre) in urban, rural and highway traffic.

At NERI sub-models for estimating the emissions from air traffic and off road machinery have been developed according to the CORINAIR guidelines. In the air traffic model the domestic and international emissions are calculated for landing and take off (LTOs) and cruise. The LTO emissions are the number of LTOs per aircraft type times specific LTO emission factors, and the cruise emissions are calculated as the fuel used for cruise times fuel-related emission factors. To estimate the emissions from off road machinery the stock of dif-

ferent machine types, load factors, engine sizes, annual working hours and emission factors are combined.

### **Activity data**

In Denmark the most important activities to make the CORINAIR emission inventory are fuel consumption, solvent use and livestock in the agricultural sector.

A major part of the Danish emission inventory relates to combustion processes. Activities are the total consumption of solid, liquid and gaseous fuels. Coal, coke, wood, straw and waste are the solid fuel types used in Denmark, with coal as the most frequently used fuel type at the large power plants. Liquid fuels such as motor gasoline and diesel oil are mainly used by the road traffic vehicles and other mobile sources, while orimulsion, LPG, gas oil and residual oil are mostly used to generate power and heat. Natural gas, refinery gas and biogas are used as gaseous fuels.

Solvents generate evaporative emissions with non negligible contributions to the total NMVOC emissions. Activities counted in the Danish inventory are paint application, chemical product manufacturing and processing (such as polystyrene foam processing) and other use of solvents and related activities (such as application of glues and adhesives).

The livestock and its manure is almost solely responsible for the Danish ammonia emissions and also contributes significantly to the total methane emissions load. The annual mean livestock number in different animal categories is used as activity data. To estimate the emissions the different mean livestock numbers are used together with emission factors (grams of emissions per animal per year). The activities are: cattle, pigs, poultry and other animals like horses or ovines.

### **Emissions**

In the Danish 1996 CORINAIR inventory approximately 80, 60 and 45% of the total SO<sub>2</sub>, CO<sub>2</sub> and NO<sub>x</sub> emissions, respectively, are related to the combustion in energy and transformation industries. Approximately 30 and 15% of the NO<sub>x</sub> and CO<sub>2</sub> emissions are emitted by road traffic, while 20% of the NO<sub>x</sub> emissions originate from off road traffic and machinery. The road traffic sector has major CO and NMVOC emissions shares of 60 and 39%, respectively, of the total emissions load and emits 14% of the total CO<sub>2</sub> emissions.

For NMVOC the evaporative contribution from solvent use accounts for over 25% of the total emissions while 20% of the CO emissions are emitted from non-industrial combustion plants. Almost all the NH<sub>3</sub> emissions, half of the N<sub>2</sub>O emissions and about 40% of the CH<sub>4</sub> emissions arise from activities in agriculture, forestry, land use and wood stock change. Around 45% of the CH<sub>4</sub> emissions and over 30% of the N<sub>2</sub>O emissions are natural emissions.

Considering the international emissions, i.e. emissions from sea transportation or air traffic from Denmark with a foreign destination, the extra emissions of SO<sub>2</sub> and NO<sub>x</sub> are in the order of 40% of the Danish totals in 1996. For SO<sub>2</sub> this is due to the residual fuel use (with a high sulphur content) in sea transportation and for NO<sub>x</sub> the reason is a poor emission performance both for sea transportation and air traffic. The international CO<sub>2</sub> emissions are in the order of 10% of the national totals, while the emissions of NMVOC, CH<sub>4</sub>, CO, N<sub>2</sub>O and NH<sub>3</sub> are very small compared with the Danish totals.

For all the heavy metals except Cu and Ni the emissions from combustion in energy and transformation industries account for 50% or more of the national totals in 1996. Most of these emissions stem from public power plants. For Cd, As and Ni the industrial combustion accounts for 20-50% of the emission totals while road transport contribute with around 50 and almost 30% of the total Cu and Pb emissions, respectively.

The emission trend for SO<sub>2</sub>, NO<sub>x</sub> and CO<sub>2</sub> in the period 1975-1996 is dominated by the emissions from energy and transformation industries. For CO<sub>2</sub> the total emissions tend to increase with some fluctuations, whereas the SO<sub>2</sub> and NO<sub>x</sub> emissions decrease during the period. The emission peaks in 1991 and 1992 are due to changes in the energy production rate. In general the power plants improve their SO<sub>2</sub> and NO<sub>x</sub> emission factors during the period. After 1990 especially the road traffic emissions of NO<sub>x</sub>, NMVOC, CO show a decline due to the introduction of catalyst cars. This also dominates the overall total emission picture for NMVOC and CO.

The latter emission species has a sudden drop from 1990 onwards in total emissions because of the total ban of on-field burning of straw. For NH<sub>3</sub> emission reduction measures taken tend to bring down the emissions from the agricultural sector, at least in the 1980s. The emissions of N<sub>2</sub>O are almost constant during the period, while the N<sub>2</sub>O emissions decrease slightly.

# 1 Introduction

Air emissions are formed in many ways and can be related both to human activities and natural processes. Examples of human activities which generate air emissions are: combustion processes in power plants and in transport vehicle engines, industrial production processes and activities in the agricultural and forestry sector. Emissions are also created from natural processes such as the evaporation from vegetation or anaerobic reactions in lake or wetland environments. To support regulative decisions it is necessary to make frequent air emission estimates and for assessment purposes these should be as consistent and reliable as possible.

Taking over the task from Risø National Laboratory the Danish national air emission inventories have been made since 1994 by the National Environmental Research Institute (NERI). The inventories are made on a yearly basis and are built up using the CORINAIR (CORE Inventory to the AIR) methodology and software developed by the European Environmental Agency (EEA). The Danish CORINAIR inventories are regarded as the official Danish inventories, giving input to different conventions established to reduce air emissions. At the same time the CORINAIR system serves as a general database for emission information and emissions calculations at different levels.

The aim of this report is to describe the structure of the CORINAIR emission inventory system on a 1996 level in terms of pollutants included and the grouping of the emission sources in two main types; large point sources and area sources. Furthermore the goal is to explain the overall emission calculation principle (emission factors times activity data) and to describe sub-models for calculating traffic emissions as a part of CORINAIR. The aim is also to describe the Danish 1996 air emissions in CORINAIR sectors (using the UNECE reporting guidelines) and the development of the Danish total emissions in the period 1975-1996.

Chapter 2 gives an administrative overview and describes the CORINAIR structure and emission calculation methodology. Also in chapter 2 sub-models for calculating traffic emissions are described. In chapter 3 a brief description is given of international conventions to reduce air emissions, to which CORINAIR submits Danish emission data. In chapter 4 data for activities i.e. the driving forces behind the formation of the emissions such as livestock, energy and solvent use are shown. In chapter 5 the emissions of sulphur dioxide ( $\text{SO}_2$ ), nitrogen oxides ( $\text{NO}_x$ ), non-methane volatile organic compounds (NMVOC), methane ( $\text{CH}_4$ ), carbon monoxide (CO), carbon dioxide ( $\text{CO}_2$ ), nitrous oxide ( $\text{N}_2\text{O}$ ) and ammonia ( $\text{NH}_3$ ) are shown for the year 1996 in details and as total emissions for the period 1975-1996. Heavy metal emissions of arsenic (As), cadmium (Cd), chromium (Cr), copper (Cu), mercury (Hg), nickel (Ni), lead (Pb), selenium (Se) and zinc (Zn) are also presented for the year 1996 by emissions from

large point sources and area sources together with the split of all emissions.

It should be noted that this report only covers the atmospheric emissions leaving out the emissions to water and soil or as waste. The emissions are calculated as prescribed in the UNECE reporting guidelines using the CORINAIR 1994 version of the air emission inventory system. The emissions are not corrected for electricity trade or temperature variations during the year. The UNECE methodology excludes the international emissions from the national estimates. The international emissions are defined as the emissions originating from sea transport starting from Denmark with a foreign destination and the emissions from air traffic above 1000 m starting from Denmark and regardless of destination.

A special reporting procedure is made for CO<sub>2</sub> emissions from air traffic to harmonise the UNECE and IPCC guidelines. The CO<sub>2</sub> emissions from domestic traffic (i.e. origin and destination in the same country) are included, while the emissions from international traffic are left out of the total national emissions load. Even though distinctions are made between national and international emissions, the latter emission development will also be shown in this report for the years 1975 to 1996.

Emission inventories are frequently updated and adjusted, as more or better information becomes available. As a consequence, the numbers in the present report will not be fully in agreement with previously reported emission information by Fenhann and Kilde (1994) and Fenhann et al. (1997).

## 2 The CORINAIR emission inventory system

Starting out at a simple level the CORINAIR emission inventory system has step by step developed into being the most comprehensive European emission inventory system. The aim is to make CORINAIR universal and in this way be able to give answers to total emissions requests from all international conventions. This chapter provides an administrative overview of the CORINAIR emission inventory system, its methodology structure and the emission components included. The basis is the CORINAIR 1994 level of the emission inventory programme, which is used to create the Danish 1975-1996 air emission inventories presented in this report.

In this chapter external emission calculation models are furthermore described for road traffic and other mobile sources and machinery.

### 2.1 Administrative overview

The CORINAIR emission inventory system has been developed by the European Union. From start it was part of the EU (DG XI) Corine (COoRdination d'INformation Environnementale) programme set up by the Council of Ministers in 1985 (Decision 85/338/EEC). The first CORINAIR inventory covered the three pollutants: SO<sub>2</sub>, NO<sub>x</sub> and VOC (Volatile Organic Compounds) for the year 1985. The EU-12 countries at that time participated in this first pan European inventory. The second inventory (for the year 1990) was expanded to a number of 29 countries and the emission components SO<sub>2</sub>, NO<sub>x</sub>, NMVOC (Non Methane Volatile Organic Compounds), CH<sub>4</sub>, CO, CO<sub>2</sub>, N<sub>2</sub>O and NH<sub>3</sub> (EEA 1995).

From 1994 the EEA has become in charge of the CORINAIR inventory programme and national estimates have been requested every year. At present, the inventory programme comprises the eight emission components mentioned above as well as nine trace metals and nine persistent organic pollutants (POP's). The trace metals are: As, Cd, Cr, Cu, Hg, Ni, Pb, Se and Zn. The POP's are: hexachlorocyclohexane (HCH), pentachlorophenol (PCP), hexachlorobenzene (HCB), tetrachloromethane (TCM), trichloroethylene (TRI), tetrachloroethylene (PER), trichlorobenzene (TCB), trichloroethene (TCE), dioxins, furanes and polycyclic aromatic hydrocarbons (PAH). The European inventories can be consulted on the EEA website (<http://www.eea.eu.int/>). The 1994, 1995 and 1996 CORINAIR inventories have been carried out by 19 countries: the EU-15, Estonia, Iceland, Liechtenstein, Norway and Switzerland. The 1997 inventory will be carried out by 35 countries: the EU-15, the Phare 13, Croatia, Cyprus, Iceland, Liechtenstein, Malta, Norway and Switzerland.

The European work with environmental data is organised by the EEA in several European Topic Centres (ETC's). Each ETC is responsible for gathering information at European level concerning specific environmental subjects or environmental compartments. For emissions to the atmosphere the ETC/AE (European Topic Centre on Air Emissions) is lead by the Umweltbundesamt (UBA) in Germany, with partners from the UK (AEA Technology), The Netherlands (TNO), Austria (UBA), France (Citepa), Italy (ENEA) and Denmark (Risø National Laboratory).

The EEA has also made a network of National Focal Points (NFP's), one for each country. The NFP's are responsible for the country's overall organisation of environmental information. In Denmark the NFP is NERI (National Environmental Research Institute) in Silkeborg. For Denmark the NFP has organised the work in National Reference Centres (NRC's), one for each environmental subject or area. The Department of Policy Analysis at NERI is appointed to cover the Danish emissions to the atmosphere. In general the Danish NRC's cover the same environmental themes as the European ETC's. This means that the Danish CORINAIR inventories are submitted both to the ETC/AE and to the Danish NFP. The Danish air emission inventories can be found on <http://www.dmu.dk> and <http://nfp-dk.eionet.eu.int>.

Copies of the annual air emission inventories are also handed out to the Danish Environmental Protection Agency (Danish EPA) and the Danish Energy Agency (Danish EA). All international conventions, with Denmark as a party, are signed by the Danish government and the responsibility of the national air emission data is in the hands of the Danish EPA. In addition the Danish EA ensures consistency between their own data and the energy data behind the CORINAIR inventories.

## **2.2 The CORINAIR structure**

Basically the emissions are calculated in the CORINAIR database as activities times emission factors. An activity can be explained as a number, describing a specific process that generates emissions. Examples of activities are: energy use by gasoline passenger cars, numbers of poultry or paint application. The emission factor is referred to the activity as grams of emission per activity unit.

The CORINAIR methodology describes the emission inventory process and the connected CORINAIR software is used both to store data for activities and emission factors and to make emission calculations at different levels (CORINAIR, 1996). To provide a solid basis for the emission estimates, data for activities and emission factors must be collected on a national scale. If Danish emission factors are missing from some sources, default emission factors are suggested by the methodology.

In CORINAIR the emissions can be calculated at different levels of aggregation, the so-called SNAP levels (Selected Nomenclature for Air Pollution, Chang and Fontelle, 1996). Furthermore all the emis-

sion sources are regarded as either point sources or area sources. The large point sources are defined from a list of specific conditions, leaving the remaining sources to be area sources.

### 2.2.1 Main categories in CORINAIR

The first CORINAIR SNAP level (SNAP level 1) consists of 11 main physical sectors. The main categories are divided into a second level (SNAP level 2) with a total number of around 50 categories. These are furthermore split into around 350 different categories on the third and most detailed level. SNAP level 3 can furthermore be disaggregated into “Annex rubrics”, if data on activities and emission factors are available.

All activities are defined in SNAP codes (Selected Nomenclature for Air Pollution, Chang and Fontelle, 1996). The 11 main categories are shown in table 1 with their SNAP codes.

*Table 1* The 11 main CORINAIR categories

SNAP code	Category description
1	Combustion in energy and transformation industries
2	Non-industrial combustion plants
3	Combustion in manufacturing industry
4	Production processes
5	Extraction and distribution of fossil fuels / geothermal energy
6	Solvent and other product use
7	Road transport
8	Other mobile sources and machinery
9	Waste treatment and disposal
10	Agriculture and forestry, land use and wood stock change
11	Nature

The first category mainly comprises the emissions from fuel combustion in large power plants generating power. The emissions from district heating plants related to fuel combustion are also comprised in this category (also using waste as a fuel) together with the emissions from refineries, gas works and oil and gas extraction. SNAP category 2 deals with the emissions from fuel combustion in non-industrial plants. These plants generate heat and power on smaller scales both for commercial, institutional and residential use and energy for use in agriculture, forestry and aquaculture. Category 3 covers all emissions from combustion in the industry (to generate production energy), while category 4 comprises the emissions directly related to the production process.

SNAP category 5 deals with all emissions (mainly evaporative emissions) from the extraction and distribution of fossil fuels and geothermal energy. The evaporative emissions originating from the use of solvents and other products are estimated in category 6. All transport emissions, i.e. the emissions from road traffic vehicles together with the emissions from trains, ships and air craft, are covered by

SNAP category 7 and 8. The latter SNAP category also comprises the emissions from motorised equipment in industry, forestry, agriculture, household and gardening. Both SNAP groups only deals with the emissions from combustion engines. The emissions that arise from electric power generation for electric vehicles (cars or trains) or electric engines are accounted for at the power plant.

Emissions from waste treatment and disposal are estimated in SNAP category 9. In Denmark most of the waste is burned in district heating plants (SNAP category 2). The major part of the emissions from SNAP 9 stems from the treatment of waste water and dumps (evaporation) and off shore flaring.

Category 10 covers all emissions from agriculture and forestry, land use and wood stock change. In this category there are many different emission sources. Examples are: cultures (with or without fertilizers), livestock and its manure, and the biomass changes in different types of managed vegetation. The last category 11 comprises the emissions from all natural (non-managed) sources such as forest fires, volcano eruptions or evaporative emissions from vegetation.

All 11 SNAP groups are listed on SNAP level 3 in appendix 1. As an example the sector “Combustion in energy and transformation industries” (SNAP code 01) is shown at the second SNAP level in table 2 and the sub-sector “Public power” (SNAP code 0101) is disaggregated on the third SNAP code level in table 3.

*Table 2* SNAP level 2 for Combustion in energy and transformation industries

SNAP code	Combustion in energy and transformation industries
01 01	Public power
01 02	District heating plants
01 03	Petroleum refining plants
01 04	Solid fuel transformation plants
01 05	Coal mining, oil / gas extraction, pipeline compressors

*Table 3* SNAP level 3 for Public power

SNAP code	Public power
01 01 01	Combustion plants $\geq$ 300 MW (boilers)
01 01 02	Combustion plants $\geq$ 50 and < 300 MW (boilers)
01 01 03	Combustion plants < 50 MW (boilers)
01 01 04	Gas turbines
01 01 05	Stationary engines

No calculations have been made on “Annex rubric” level in any of the “Public power” sub-sectors. This very detailed emission level is mainly used in SNAP group 8 “Other mobile sources and machinery” to differentiate between aircraft types and equipment used in agriculture, forestry, industry, household and gardening.

### 2.2.2 Large point sources and area sources

The emission sources are divided into large point sources (LPS) and area sources in the CORINAIR methodology.

The LPSs have major contributions to the total air pollution for a large number of emission components. This is also true for Denmark, see chapter 5.11. In order to reduce these emissions Danish reduction plans have been decided as a part of international agreements, see chapter 3. For this use a detailed LPS registration must be carried out to make the LPS emissions calculations as precise as possible. The following LPS criteria in CORINAIR have been defined (Chang and Fontelle, 1996) based on the international agreements:

- Combustion plants with thermal capacities  $\geq 50$  MW
- Refineries
- Workshops included in integrated steel plants with production capacities  $\geq 3 \cdot 10^6$  tonnes steel/year
- Sulphuric acid plants
- Nitric acid plants
- Paper pulp production plants with capacities  $\geq 100.000$  tonnes/year of paper pulp
- Painting car plants with capacities  $\geq 100.000$  passenger cars/year
- International airports with LTO cycle numbers  $\geq 100.000$ /year
- Plants with stack tops  $\geq 100$  m
- Plants with annual emissions  $\geq 1.000$  tonnes/year of  $\text{SO}_2$ ,  $\text{NO}_x$ , NMVOC or  $\text{NH}_3$
- Plants of specific interest

Detailed LPS registrations and emission calculations are also made to support the work with emission dispersion models including atmospheric transport modelling and the transformation and deposition of chemical compounds. Finally the main European air polluters can be located, if the LPS's are registered.

## 2.3 Traffic emission sub models in CORINAIR

In CORINAIR the traffic emission calculations are carried out in two main categories: Road traffic (SNAP group 07) and Other sources and machinery (SNAP group 08). As an external part of CORINAIR a computer programme has been developed to calculate the road traffic emissions.

The remaining transport activity takes place in the off road traffic sector. This category comprises sea transport, fishery, air traffic, railways and military. Also other mobile sources and machinery such as

machinery used in industry, forestry, agriculture and household and gardening are included in this sector. At present no special emission models are made in the framework of EEA to calculate the off road emissions. Instead calculation models have been developed at NERI especially to estimate these emissions.

### 2.3.1 Road traffic

The vehicles used in road traffic are: passenger cars, light duty vehicles, heavy duty vehicles and two wheelers. The vehicle types are shown in table 4 at SNAP level 2. A further division is made into urban, rural and highway driving at SNAP level 3, see appendix 1. For the period 1975-1989, the calculation of the emissions from road traffic is based on the statistical energy consumption from the Danish Energy Agency combined with aggregated emission factors.

Table 4 SNAP level 2 for road traffic

SNAP level 2	Road traffic
07 01	Passenger cars
07 02	Light duty vehicles < 3.5 tonnes
07 03	Heavy duty vehicles > 3.5 tonnes and buses
07 04	Mopeds and Motorcycles < 50 cm <sup>3</sup>
07 05	Motorcycles > 50 cm <sup>3</sup>
07 06	Gasoline evaporation from vehicles
07 07	Automobile tyre and brake wear

For the years 1990 onwards, the calculation of emissions from road traffic is more detailed, using the COPERT (Computer Programme to calculate the Emissions from Road Transport) model. The COPERT model has been developed and is currently being updated for the European Environmental Agency. The model is used by many countries, which ensures consistent and transparent calculation methods at European level. The COPERT calculation results are automatically exported to the CORINAIR database.

For 1990 - 1993 the COPERT 90 version of the model has been used to calculate the Danish road traffic emissions (CORINAIR, 1993). An updated version of the model, COPERT II (Ahlvik et al., 1997), has been used to calculate the 1994-1996 emissions. The COPERT model takes into account the composition of the vehicle fleet, the annual mileage driven and the specific emission factors per driven kilometre in urban, rural and highway traffic. Information on the vehicle fleet and the annual mileage is obtained from the Danish Road Directorate.

The number of passenger cars is split into categories taking into account the type of fuel used, the emission legislation level and the engine size. The number of light and heavy duty vehicles are split into categories characterised by the fuel type, the emission legislation level and the gross vehicle weight.

Subsequently the hot emissions are estimated by combining the yearly traffic of the sub-categories with the emission factors of urban, rural and highway driving. The estimations of the cold start emissions (of private cars and vans) are based on the cold/hot emission relation and every month's driving with a cold engine. The evaporative emissions; running loss, soak and diurnal loss are also estimated for the petrol vehicles (SNAP group 0706). The estimation is based on the total driving, the number of trips, the maximum and minimum day-temperature of the month and temperature dependent evaporation factors.

In order to assess the calculation procedure and the emission results the COPERT model creates a fuel balance. The fuel consumption is calculated and compared with the statistical fuel data from the Danish Energy Agency. A reasonable small difference between the statistical and calculated energy consumption is requested. To obtain this small difference the annual mileage is regulated in the different vehicle classes. The emissions are then repeatedly calculated following an iterative procedure.

### **2.3.2 Off road emission models**

The off road sector is divided into several sub-sectors; sea transport, fishery, air traffic, railways, military, industry, forestry, agriculture and household and gardening. The emission calculations are very detailed for air traffic and the sectors: industry, forestry, agriculture and household and gardening. In these two cases models have been developed at NERI to calculate the emissions according to the CORINAIR guidelines.

#### **Emission model for air traffic**

Following the CORINAIR guidelines (CORINAIR, 1996) a Danish air traffic emission calculation model is developed at NERI. The basic model principle is to combine relevant air traffic statistics, energy use and emission factors. The CORINAIR methodology prescribes a differentiation between Landing and Take Off (LTO) and cruise for both national and international air transport on basis of the fuel bunkered in Danish airports. The CORINAIR categories are shown in table 5 on SNAP level 3. The Annex rubric level gives a further division of the air traffic emissions into different aircraft types.

The air traffic activity in Denmark takes place mainly at Copenhagen airport but also in a number of small provincial airports. The activity in Copenhagen airport exceeds 100.000 LTO's per year. According to the CORINAIR methodology it is therefore a large point source of air emissions. The provincial airports are treated as area sources.

Table 5 SNAP level 3 for air traffic

SNAP level 3	Air traffic
08 05 01	Domestic airport traffic (LTO cycles < 1000 m)
08 05 02	International airport traffic (LTO cycles < 1000 m)
08 05 03	Domestic cruise traffic (> 1000 m)
08 05 04	International cruise traffic (> 1000 m)

#### Air traffic statistics

Using the statistic sources Copenhagen Airport (1997) and Statistics Denmark (1997) the air traffic activity in Danish airports can be divided into the number of LTOs carried out by different aircraft. Due to a lack of statistics, it is assumed, that all domestic LTOs in Copenhagen airport and all large aircraft activity in the provincial airports are carried out by only one aircraft type (Fokker F50). Furthermore, it is assumed that all domestic traffic takes place between Copenhagen and the provincial airports.

#### Energy and emission factors

The duration of the different parts of a LTO cycle is defined by The International Civil Air Organisation (ICAO). The LTO cycle simulates the air traffic activity below 3000 ft during approach, landing, taxi traffic, take off and climb out. For engine certification purposes modal measurements are made for large aircraft during the test cycle. Emissions of CO, VOC, NO<sub>x</sub>, and the fuel consumption are measured. From this overall emission and energy factors can be calculated.

For LTOs the emission and fuel consumption factors are taken from an environmental impact study in Copenhagen Airport (Copenhagen Airport, 1996). Especially for VOC the split in NMVOC and CH<sub>4</sub> is taken from CORINAIR (1996) together with the emission factors during the cruise phase.

Small aircraft do not have to meet any emission standards. Therefore no consistent emission factors are available for these air craft types. Instead emission factors for all pollutants are estimated by using the fuel related emission factors for non catalytic cars. The emission data comes from the COPERT model.

#### Energy use by LTO and cruise

An overall fuel allocation to the LTO and cruise activity has been made to calculate the emissions for both domestic and international traffic. The fuel allocation has been made separately for Copenhagen Airport and the provincial airports.

The energy use is calculated for both domestic and international LTO activity, by multiplying the fuel consumption factor for each aircraft type with the corresponding number of LTOs. The next step is to calculate the total energy use by domestic and international cruise. The cruise energy is the difference between the total fuel sold for aviation in Denmark and the total calculated fuel used for LTOs.

The cruise energy use is finally distributed to the various aircraft types in domestic and international cruise traffic. This is done by multiplying the total energy use for cruise with the fraction of the total number of LTOs for each aircraft type in domestic and international cruise, respectively.

#### Energy use and emissions in Copenhagen airport

According to the CORINAIR methodology, Copenhagen airport is considered as a large point source. The energy used in Copenhagen airport is divided into the domestic and international LTOs and the cruise activity. This is done for all of the various aircraft types as described in the previous paragraph. For small aircraft no relevant LTO fuel consumption factor is available and therefore the total energy use is allocated to the energy use under domestic and international LTOs.

In order to calculate the energy use and the emissions for domestic and international LTOs, the number of LTOs for each aircraft type is multiplied by the respective energy use/emission per LTO. The cruise emissions are estimated by combining the allocated cruise fuel consumption per aircraft type with the fuel related cruise emission factors.

#### Energy use and emissions in provincial airports

The provincial airports are regarded as area sources. The energy use is split into the domestic and international energy use by large aircraft (LTOs and cruise) and small aircraft (LTOs). The LTO energy use and emissions are calculated as the number of LTOs times the respective energy use or emission per LTO for each aircraft type. The cruise emissions are estimated by combining the allocated cruise fuel consumption per aircraft type with the fuel related cruise emission factors.

#### **Emission model for inland waterways, industry, forestry, agriculture and household**

The off road machinery used in the sectors inland waterways, industry, forestry, agriculture and household is very differentiated regarding engine sizes and combustion principles. Many small size two or four stroke gasoline vehicles and machines are present in the sector, but in terms of quantity diesel is most frequently used as a fuel. The CORINAIR SNAP categories are shown in table 6 on SNAP level 2. The many vehicle types and their different emissions are accounted for by using Annex rubrics.

Table 6 SNAP level 2 for other mobile sources and machinery

SNAP level 2	Other mobile sources and machinery
08 03	Inland waterways
08 06	Agriculture
08 07	Forestry
08 08	Industry
08 09	Household and gardening

The emissions are estimated following the guidelines in CORINAIR (1996). In order to calculate the total emissions, information regarding the stock of different machine types and their respective load factors, engine sizes, annual working hours and emission factors is combined.

The number of different types of machines, their load factors, engine sizes and annual working hours are taken from the Danish EPA (1992 and 1993). The emission factors are taken from Thomsen (1996) and CORINAIR (1996).

In the Danish EPA (1992 and 1993) the total fuel consumption of diesel oil, gasoline and LPG is also estimated. This fuel consumption is used to make an overall energy balance with the statistically sold energy within the off-road sector given by the Danish EA. An energy correction is made by regulating the annual working hours used for the vehicle stock in the calculations.

### **Other off road emission sources**

The remaining transport emissions estimated in "Other mobile sources and machinery" stem from sea transport and fishery, railways and military. The CORINAIR SNAP categories are shown in table 7.

Table 7 SNAP codes for remaining off road categories

SNAP codes	Remaining off road categories
08 01	Military
08 02	Railways
08 04	Maritime activities
08 04 02	National sea traffic within the EMEP area
08 04 03	National fishing
08 04 04	International sea traffic (international bunkers)

### Sea transport and fishery

According to the CORINAIR definitions the marine activity is determined by the fuel sold in the Danish ports. Furthermore the sea traffic is defined as either national or international depending on the destination of the vessels in question. In this context the transport is considered national, if the fuel is bunkered in a Danish port by a vessel going to another Danish port. If the fuel is bunkered in a Danish port by a vessel with a destination outside Denmark, the transport is defined as international.

The vessels used for sea transport and fishery are mainly equipped with medium speed engines using diesel oil with a moderate sulphur content or slow speed engines using residual oil with a relatively high content of sulphur. The emission factors used in the calculations are taken from CORINAIR (1996) and Lloyd's (1995).

### Railways

To calculate the railway emissions, emission factors from the COPERT model are combined with the total diesel consumption given by the Danish EA. Fuel-related emission factors are used for heavy duty diesel vehicles at highway driving conditions.

### Military

The emissions from the Danish military activity are calculated by multiplying the fuel consumption and fuel related emission factors. The fuel consumption is made up by the Danish Energy Agency and the emission factors used are aggregated from the COPERT model.

### 3 International conventions

Air pollution is not only a local environmental problem. The emissions are dispersed by the wind and in many cases travel over long distances, before they either deposit or take part in chemical reactions in the atmosphere forming harmful compounds. The air emissions have local, regional and global environmental impacts and the only way to address these is through international co-operation. Several international conventions have been established to reduce the emissions and the related environmental effects. Denmark submits emission data to the following conventions:

- The UNECE Convention on Long Range Transboundary Air Pollution (Geneva Convention)
- The Framework Convention on Climate Change (FCCC) under the Intergovernmental Panel on Climate Change (IPCC)
- The EU monitoring mechanism for CO<sub>2</sub> and other greenhouse gases
- The Oslo-Paris Convention (OSPARCOM)
- The Helsinki Convention (HELCOM).

#### UNECE Convention on Long Range Transboundary Air Pollution

The UNECE Convention on Long Range Transboundary Air Pollution (The Geneva Convention) was formulated in 1979. It is a framework convention and has expanded during the years to cover 7 protocols in all. The Geneva Convention comprises the international intentions to reduce the emissions of SO<sub>2</sub>, NO<sub>x</sub>, VOC and some heavy metals and POPs.

The Helsinki Protocol was signed in 1985 to reduce the emissions of SO<sub>2</sub> and the aim was an emission reduction of 30% in 1993 with 1980 as a baseline year. The protocol was signed by 21 countries and in a declaration to the protocol, Denmark declared a further 50% emission reduction in 1995 from a 1980 emission level. The emission reduction in both the protocol and in the declaration was fulfilled by Denmark.

The SO<sub>2</sub> emission reduction levels were further strengthened with the signing of the OSLO Protocol in 1994. The protocol was ratified by 18 countries in August 1998. According to the protocol Denmark is obliged to reduce the emissions with 80% in the year 2000 with 1980 as a baseline year.

In order to reduce the NO<sub>x</sub> emissions, the Sofia Protocol was signed in 1988. At present the protocol has been ratified by 24 countries and the EU member states. Denmark has fulfilled the goal to stabilise the 1994 NO<sub>x</sub> emissions on a 1987 level. Furthermore Denmark has signed a protocol declaration, in which the 1998 emissions should be re-

duced with 30% compared with the 1986 emissions. Preparations for a new ECE nitrogen protocol covering acidification, eutrophication and the formation of ozone have been going on for several years.

The Geneva Protocol comprises the VOC emissions. The protocol was signed in 1991 by 21 countries and by 2 more countries in 1992. At present the protocol is ratified by 17 countries. In the protocol Denmark has agreed to reduce the 1999 VOC emissions with 30% compared with the 1985 level.

The Aarhus Protocol dealing with the emission reduction of POPs was signed in June 1998 by 34 countries. The protocol covers 16 POP species. For some POPs the production and use will be banned, while large restrictions will be put on the production and use of other POPs. Emission reductions referred to a baseline year will be laid on the POP components created during combustion or by industrial processes. In a declaration to the protocol restrictions are put to further 2 POPs by 18 countries and the EU.

Also the heavy metals Cd, Hg and Pb are covered by the Aarhus Protocol. The aim is to reduce the emissions from some industrial processes and combustion processes related to energy production, transport and waste incineration. The protocol establishes threshold values for stationary sources and formulates guidelines for the use of the best available technology and means to reduce the heavy metal content in some products. There is a specific demand in the protocol to phase out the use of lead as an additive to motor gasoline in the year 2010/11. In a declaration to the protocol, signed by 32 countries, the moment of a total phase out has been hastened to the year 2005.

The Aarhus Protocols are expected to be ratified by enough countries in the next 2 or 3 years to come into force.

#### UN Framework Convention on Climate Changes

The greenhouse gas emissions will be reduced in the UN Framework Convention on Climate Changes (UNFCCC) established in 1994. The Convention takes effect when it has been ratified by 55 countries. Among the ratifying countries shall be enough industrialised countries with total greenhouse gas emissions that sums up to be at least 55% of the emissions from all industrialised countries.

In a protocol to the convention (the Kyoto Protocol), the most important antropogenic greenhouse gases; CO<sub>2</sub>, CH<sub>4</sub>, HFC, PFC and SHF shall be reduced by the industrialised countries with 1990 as a baseline year. The emission reduction is 5,2% and should be counted as the average super national emission totals for the period 2008-2012 related to the CO<sub>2</sub> global warming potential index.

A declaration has been made to the Kyoto Protocol by the EU countries, aiming to reduce the 6 greenhouse gases with an average total of 8% in the period. The emission reduction share should be weighted between the countries, in order to account for overall socio-economic differences and sectoral varieties within the Union. As a result of this EU emission reduction distribution Denmark is obliged to reduce the average 2008-2010 national greenhouse gas emissions with 21% with 1990 as a baseline year.

To reach the desired national reductions multiple target reduction plans have been launched (NERI, 1998). In this way there is a reduction plan for the energy sector, Energy 21, and a reduction plan related to transport; Government's action plan for reducing CO<sub>2</sub> emissions from the transport sector. These two reduction plans mainly seek to reduce the CO<sub>2</sub> emissions. One of the aims of the New Action Plan for the Aquatic Environment is to reduce the use of nitrogen in the agricultural sector, which might result in smaller quantities of N<sub>2</sub>O. Several forestry action strategies aims to increase the carbon uptake by raising new forest. The Action Plan for Waste and Recycling seeks to reduce the mass of organic waste and in this way lower the CH<sub>4</sub> emissions. At the same time an increased use of waste at power plants as prescribed in Energy 21 reduces the CO<sub>2</sub> emissions related to the fossil fuel use.

#### EU Monitoring Mechanism for CO<sub>2</sub> and other Greenhouse Gases

The EU Monitoring Mechanism for CO<sub>2</sub> and other Greenhouse Gases was established as a council decision by the European Union (93/389/EEF). According to this directive the EU countries have to submit data on total national emissions of SO<sub>2</sub>, NO<sub>x</sub>, NMVOC (Non Methane Volatile Organic Compounds), CH<sub>4</sub>, CO, CO<sub>2</sub>, N<sub>2</sub>O, HFC, PFC and SF<sub>6</sub>. The emission estimates must be made in accordance with the IPCC guidelines.

#### OSPARCOM

The first conventions to protect the marine environment in the north-east Atlantic area including the North Sea and Kattegat were signed in 1972 (the Oslo convention) and in 1974 (the Paris convention) by the countries with coast lines that border the geographical area in question. In 1992 the Oslo and Paris conventions were integrated in a new OSPAR convention to come into force in 1998. The parties to the OSPAR conventions are the EU countries and Iceland, Norway and Switzerland. The three latter countries all have catchment areas to the marine area covered by OSPAR.

The goals for the OSPAR convention are twofold. One goal is to prevent marine pollution stemming from dumping and waste incineration at sea. Another aim is to protect the marine environment from the pollution created by off shore and land based activities. Furthermore the protection of marine ecosystems and biodiversity from the harmful effects of human activities is included in the convention.

To limit the emissions of hazardous substances, radioactive pollutants oil etc. recommendations and decisions have been made in the Paris convention and work is in progress to implement measures to bring down the anthropogenic nutrient load. In the Oslo convention waste incineration at sea was regulated and only accepted as an interim solution. Also a total ban on industrial waste dumping was carried out. In the same way the dumping of off shore installations and ships, including leaving behind installations and ships off shore, was regulated.

When the OSPAR convention was agreed in 1992 the dumping of radioactive pollutants was included and a total ban was agreed. In 1998 several decisions were made to improve the convention. A total ban of the dumping of condemned off shore installations which are no longer of use was agreed together with new sets of goals and strategies concerning hazardous substances and radioactive pollutants. Also a strategy to prevent and a common procedure to identify eutrophication was agreed. With respect to species and habitats a new annex to the OSPAR convention was agreed together with a strategy to protect and preserve these.

## HELCOM

In 1974 a convention was signed in Helsinki to protect the marine environment in the Baltic region. The convention came into force in 1980 and aims to protect the Baltic Sea from pollution from all sources. This would be on shore air, soil and water polluters as well as off shore air and water polluters like ships, off shore installations and aircraft. Air emissions are part of the overall pollution impact. A revision of the Helsinki convention was signed by Estonia, Finland, Lithuania, Latvia, Poland, Russia, Sweden, Germany, Denmark and the remaining EU countries in 1992 but is yet not in force since Poland and Russia have not yet ratified.

The parties to HELCOM are currently developing and intensifying their co-operation. In this way there is a total ban on waste incineration and waste dumping at sea. The dumping of raised sea floor material is excluded from the latter restriction. To bring down the pollution from on shore sources like industry, agriculture and city sewage several recommendations have been agreed during the years.

In 1988 a ministerial declaration was agreed to reduce the emissions of some heavy metals, persistent organic pollutants and to bring down the anthropogenic nutrient load over a 10-year period. However, in 1998 it became clear that the goals were unachieved for several of the pollutants comprised in the declaration. In the same way weaknesses and gaps in the data behind were revealed. To address these problems a series of measures were taken and an objective and a strategy was agreed on how to reduce and phase out the most hazardous substances.

## 4 Activity data

In CORINAIR data for activities are used together with emission factors to calculate the emissions from all sources. The major activity behind the emissions from the SNAP categories 1, 2, 3, 7 and 8 is the fuel consumption. In these sectors emissions are formed during combustion processes that transform fuel into power, heat or propulsion. The SNAP category 4 activities are the number of units produced by the specific industry branches. In SNAP category 5 the activities are defined as the mass or volume of fossil fuel and geothermal energy during extraction and distribution, while the activities in SNAP categories 6 and 9 are the amounts of solvent and waste, respectively. In SNAP category 10 the cultivated areas and the number of animals are the activities, while the area of forests, wetlands etc. are examples of activities behind SNAP category 11.

In this chapter the important parts of the Danish activity data will be described in further details. Special attention will be given to describe the major statistics for fuel consumption, the use of solvents and the number of animals as these activities generate the dominant part of the total emissions. All the activities used in the inventories can be found on <http://nfp-dk.eionet.eu.int/>

### 4.1 Fuel consumption

To establish the basis for fuel consumption activity the national energy statistics from the Danish Energy Agency are used together with information on fuel consumption by large point sources. Data on this latter fuel consumption are mostly reported by the Danish EA, while in some cases the data are submitted by the large point sources themselves. The fuel consumed by area sources is calculated by subtracting the fuel consumption by large point sources from the national energy statistics.

Figure 1 shows the Danish consumption of fossil fuels in a time series from 1975 to 1996. The fuel consumption is summarised in three categories; solid, liquid and gaseous fuel consumption. The solid fuels are coal and coke together with wood, straw and waste, with coal as the most dominant energy source at the large power plants. In 1996 Denmark exported a large amount electricity, which resulted in an increase in the coal consumption. The liquid fuels include fuel oil, orimulsion, gasoline, diesel, gas oil and LPG. The gaseous fuels are natural gas, biogas and refinery gas.




Figure 1 Danish use of solid, liquid and gaseous fuels (from the CORINAIR database)

The road traffic and other mobile sector stand for a major part of the Danish liquid fuel consumption, especially when motor gasoline and diesel oil are concerned. The liquid fuels: orimulsion, LPG, gas oil and residual oil are mainly used to generate power and heat for different purposes. The annual Danish total liquid fuel statistics from 1975 to 1996 are shown in figure 2. The fuel used for international transportation by ships and air craft is not included in the statistics, while the fuel statistics for road transport are based on consumption of gasoline and diesel in Denmark.




Figure 2 Time series of liquid fuels used in Denmark (from the CORINAIR database)

The Danish 1975-1996 gaseous fuel consumption statistics are shown in figure 3. The use of biogas and refinery gas is almost constant during the period. There has been a remarkable increase in the natural gas use since the mid 1980s. By that time natural gas was given a

target role in the national energy supply system for power and heat generation.




Figure 3 Time series of gaseous fuels used in Denmark (from the CORINAIR database)

## 4.2 Solvent use

Evaporative emissions from solvent use have large contributions to the national NMVOC totals. In order to estimate these emissions properly, it is important to gather statistics on solvent use. The amount of solvent used is reported to the Danish EPA by the Danish companies. The information is given as a part of an agreement between the Danish Industry and the Danish Environmental Protection Agency. The aim of the solvent use reduction plan is to reduce the emissions by 40% in year 2000 based on the 1988 emissions (NERI, 1998). The reporting is not annual and linear interpolation is used between the reporting years.

It is important to notice that not all the use of solvents are included in this agreement. Consequently not all emissions from solvents are included in the Danish CORINAIR inventories and efforts are still to be made in the future inventory work to improve the emission estimates.

In the Danish inventory emission estimates for solvent use are made for paint application (SNAP category 0601) in the sectors: construction and buildings, domestic use, boat building and wood. Chemical product manufacturing and processing includes: polyester processing, polyurethane processing, polystyrene foam processing, paint manufacturing, glues manufacturing and other product manufacturing and processing (SNAP category 0603).

The use of solvents in "Other use of solvents and related activities" (SNAP category 0604) takes places in the sectors: printing industry, fat, edible and non edible oil extraction, application of glues and adhesives, underseal treatment and conservation of vehicles, domestic solvent use and other uses.

### 4.3 Livestock

The livestock and its manure is almost solely responsible for the Danish ammonia emissions and also contributes significantly to the total methane emissions load. The annual mean livestock number in different animal categories is used as activity data. To estimate the emissions the different mean livestock numbers are used together with emission factors (gram of emissions per animal per year).

Not only the livestock numbers are important for the ammonia emission calculations. The handling (storage and spreading) of the manure as well as the construction of the farms will also have an impact on the final emission result.

The livestock numbers are difficult to estimate, since they vary during the year. The official statistics cover considerable livestock changes in the agricultural sector: animals are slaughtered and new are raised during the year and a certain animal import/export takes place. To ensure consistency and comparable estimates also published data on livestock is used from Statistics Denmark (1997).

The livestock numbers are shown in figure 5 in four different main categories. In the inventories the main categories are split further into individual animal species.




Figure 5 Time series 1975-96 of the number of livestock in Denmark used in the inventories

In figure 5 the number of Danish livestock is shown in time series from 1975 to 1996 in four figures: cattle, pigs, hens and other livestock. The number of cattle (dairy cows and other cattle) has decreased during the period, whereas the number of pigs (fattening pigs and sows) has increased slightly, as has the number of poultry's (laying hens, broilers and other poultry). Other livestock, which includes horses, ovines and fur animals is at about the same level through the period.

## 5 Emissions

This chapter presents the Danish CORINAIR emission estimates as prescribed by the UNECE emissions reporting guidelines. The emissions of SO<sub>2</sub>, NO<sub>x</sub>, NMVOC, CH<sub>4</sub>, CO, CO<sub>2</sub>, N<sub>2</sub>O and NH<sub>3</sub> are shown in figures on main contributing SNAP categories for 1996 and as national totals in the period 1975 to 1996. The latter emission results are listed in appendix 3. Time series of emissions excluded from the national totals, i.e. the international maritime and air traffic emissions, are also shown.

The national 1996 emission totals are also compared with the other EU-15 countries on a per capita level in this chapter. In addition the heavy metal emissions As, Cd, Cr, Cu, Hg, Ni, Pb, Se and Zn and their sources are shown in details for the years 1994 to 1996. The total 1996 emissions of all species are categorised as large point source and area source emissions.

### 5.1 Sulphur dioxide (SO<sub>2</sub>)

The most important source of sulphur emissions in the Danish emission inventory is combustion processes.




Figure 6 Danish SO<sub>2</sub> emissions in 1996 distributed into categories

Figure 6 shows the total 1996 SO<sub>2</sub> emissions (186.7 kilotons) by main source categories. The combustion of fuel in the energy and transformation industries (mainly power plants and district heating) contributes with 78% of the total Danish SO<sub>2</sub> emissions. This percentage figure is followed by a 9% emission share of the manufacturing industry and a 7% share of the non-industrial combustion plants.




Figure 7 Danish 1975-1996 emissions of SO<sub>2</sub> in totals and main categories

The total Danish SO<sub>2</sub> emissions are shown for the years 1975 - 1996 in figure 7 together with the emissions from the main contributing sector: combustion in energy and transformation industries. In general there is a total emission decline determined by the emissions decrease in the sectors combustion in the energy and transformation industries and by transportation (not viewed). The emission peaks in 1991 and 1996 are due to higher energy production (and hence higher fuel consumption) in these years. The UNECE convention emission reduction target is also shown in figure 7. In the convention Denmark has agreed to reduce the SO<sub>2</sub> emissions with 80% in the year 2000, with 1980 as a baseline year.




Figure 8 European SO<sub>2</sub> emissions in 1994 (kg SO<sub>2</sub>/capita)

The 1994 SO<sub>2</sub> emissions are shown per capita for the EU-15 countries in figure 8 (Ritter, 1997). To be able to compare the emissions between countries the main category "Nature" is excluded from the emission totals. The Danish emissions are around 30 kg SO<sub>2</sub>/capita/year and slightly lower than the EU-15 average of about 32 kg SO<sub>2</sub>/capita/year. Denmark generates most of its power using either coal or fuel oil, see figure 30. This is why the Danish per capita emission is higher than countries, whose energy supply systems to a large extent are based on for example hydropower and nuclear power.

## 5.2 Nitrogen oxides (NO<sub>x</sub>)

As for sulphur fuel combustion is the most important source of NO<sub>x</sub> emissions in Denmark.




Figure 9 Danish NO<sub>x</sub> emissions in 1996 distributed into categories

The distribution of the Danish 1996 NO<sub>x</sub> emissions (287.7 kilotons) are viewed by source categories in figure 9. The energy and transformation industries account for 45% of the Danish emissions, while road transport and other mobile sources and machinery have individual NO<sub>x</sub> shares of 28% and 19% respectively, and 47% in total.

The total Danish 1972-1996 NO<sub>x</sub> emissions are shown in figure 10 with main emission contributors. The relatively large fluctuations in 1991 and 1996 are caused by the high electricity export in these years.




Figure 10 Danish 1975-96 NO<sub>x</sub> emissions in totals and main categories

The road traffic emissions show a decline after 1990, as a result of the introduction of catalyst cars. The NO<sub>x</sub> emission reduction target for the UNECE convention is also shown in the figure.

The EU-15 per capita NO<sub>2</sub> emissions are shown in figure 11 for the year 1994 (Ritter, 1997). The main category “Nature” is excluded from the emission totals for comparative reasons. The Danish emissions, which is around 55 kg NO<sub>x</sub> per capita, are above the European mean of about 35 kg NO<sub>x</sub> per capita. This is caused by the high emission contribution from energy production.




Figure 11 European NO<sub>x</sub> emissions in 1994 (kg/capita)

### 5.3 Non-Methane Organic Compounds (NMVOC)

The Danish 1996 NMVOC emissions (155.5 kilotons) are shown in figure 12. With a 39% share of the total emissions road traffic is still a main contributing sector, even though the emissions have declined since the introduction of catalyst cars in 1990. The category solvent use contributes with 26% of the total NMVOC emissions in 1996. The inventory for this category is still incomplete in some sub-categories, and it is likely that the inventory comprises only a part of the total emissions. Furthermore the activity data behind the emissions from some sub sectors, e.g. households, are difficult to obtain and the emissions are often based on rough estimates.




Figure 12 Danish NMVOC emissions in 1996 distributed into categories




Figure 13 Danish 1975-1996 NMVOC emissions in totals and main categories

Figure 13 shows the Danish NMVOC emission in the time series 1975-1996. From 1984 to 1985 the emissions go up abruptly. The sudden emission increase occurs because from this year the emissions from solvent use are included in the inventories. The emission decline from 1989 to 1990 in the category “Agriculture and forestry, land use change and wood stock change” is due to the almost total national ban on on-field burning of straw. The decline from 1990 onwards is due to the introduction of catalyst cars and the effect of the emission reduction agreement between the Danish Industry and the Environmental Protection Agency (NERI, 1998). The target for the NMVOC emission reductions within the UNECE convention is also shown in figure 13.




Figure 14 European NMVOC emissions in 1994 (kg NMVOC/capita)

Figure 14 shows the NMVOC per capita emissions in 1994 for the EU-15 countries (Ritter, 1997). To ensure inter country comparison (Ritter, 1997) the main groups “Agriculture and Forestry, Land use and Wood stock change” and “Nature” has been excluded in the figure.

Denmark has an approximate emission of 30 kg NMVOC per person, which is below the European Union mean emission of 36 kg NMVOC per person. Some countries like Sweden and Luxembourg have high emissions per capita. A reason for this could be the uncertainties in the emission inventory for solvent use. As regards the uncertainties, caution should be taken when comparing different countries emission estimates.

## 5.4 Methane (CH<sub>4</sub>)

Figure 15 shows the Danish 1996 CH<sub>4</sub> emissions (779.4 kilotons) distributed into main categories. For CH<sub>4</sub> the main categories "Nature" and "Agriculture and Forestry, Land use and Wood stock change" each contributes with 45% and 42% to the national totals. The emissions from waste water treatment and the remaining emissions each have a 10% and 3% share of the national totals.




Figure 15 Danish CH<sub>4</sub> emissions in 1996 distributed into categories

The Danish CH<sub>4</sub> emissions are shown for the period 1975-1996 with the main contributing categories in figure 16. It is seen that the emissions are almost constant in the period. The major emissions from the "Nature" category are; the emissions from anaerobic bacterial processes in wetlands and waters and the emissions from near surface deposits, containing natural gas. In the "Agriculture and Forestry, Land use and Wood stock change" category it is the enteric fermentation in the ruminants, which causes the majority of CH<sub>4</sub> emissions.




Figure 16 Danish 1975-1996 CH<sub>4</sub> emissions in totals and main categories

In Figure 17 the European 1994 CH<sub>4</sub> per capita emissions are shown (Ritter, 1997). The main group “Nature” has been excluded in order to make consistent comparisons between countries. The EU-15 mean emission is approximately 60 kg CH<sub>4</sub> per person and lower than the Danish emissions of around 80 kg per person. The relatively high Danish emissions stem from a large number of farm animals including ruminants. This is also the reason for the very high Irish emissions.




Figure 17 European CH<sub>4</sub> emissions in 1994 (kg CH<sub>4</sub>/capita) with main sector nature excluded

## 5.5 Carbon monoxide (CO)

The Danish 1996 CO emissions (597.5 kilotons) are shown by main source categories in figure 18. Even though catalyst cars were introduced in 1990, road transport is still the main contributor to the CO emissions, with a 60% share of the national totals. The other mobile sources and machinery's accounts for 10%, giving a total emission share of 70% for the transport sector. The non-industrial combustion

plants, mainly residential heating facilities, contribute with another 20% of the total emissions.




Figure 18 Danish CO emissions 1996 distributed into categories

The total Danish 1975-1996 CO emissions are shown in figure 19 together with the emissions from the main contributing categories. The almost complete ban on the burning of on-field straw causes a significant decline in the emissions from 1989 to 1990. The CO emission decline from 1990 onwards is mainly due to the introduction of catalysts on cars.




Figure 19 Danish 1975-96 CO emissions in totals and main categories

The 1994 European per capita CO emissions are shown in figure 20 (Ritter, 1997). To be able to compare the emissions between countries the main category “Nature” is excluded from the totals. With an emission of almost 140 kg CO per capita Denmark is just above the European mean of around 120 kg per capita. The high emissions per capita in Luxembourg arise from the industrial steel production.




Figure 20 European CO emissions in 1994 (kg CO/capita)

## 5.6 Carbon dioxide (CO<sub>2</sub>)

The inventory of CO<sub>2</sub> is made by assuming that all combustion processes are complete and consequently convert all the fuel-related carbon into CO<sub>2</sub>. In almost any case this is not true and the not fully transformed carbon will be emitted as CO, CH<sub>4</sub> or NMVOC. In turn these emission components transform into CO<sub>2</sub> in the atmosphere.

Emissions from biomass fuels; straw, wood, biogas and municipal waste are not included in the CO<sub>2</sub> emission inventory. Also excluded are the CO<sub>2</sub> emissions from nature and the agricultural sector except from agricultural soils if available. These exclusions prevent double counting of carbon given the fact that biomass is circulated in the biosphere. The waste treatment and disposal sector includes the CO<sub>2</sub> emissions from oil and gas flaring and more general CO<sub>2</sub> contributions from non-biological wastes while the CO<sub>2</sub> emissions from solvent use relates to CO<sub>2</sub> from NMVOC.




Figure 21 Danish CO<sub>2</sub> emissions in 1996 distributed into categories

Figure 21 shows the Danish 1996 CO<sub>2</sub> emissions per main category. The “Combustion in energy and transformation industries” sector is responsible for 60% of the total emissions, while road transport contributes with 14%.




Figure 22 Danish 1975-96 CO<sub>2</sub> emissions in totals and in main categories

The total Danish 1975-1996 CO<sub>2</sub> emissions are shown in figure 22, as well as the time series emissions from the main contributing categories. The high 1996 emissions come from this year’s large production and exportation of electricity. To a large extent the Danish total emission level is governed by the emissions from “Combustion in energy and transformation industries”. However there is a constant increase in the road traffic emission starting already in the beginning of the 1980s. No CO<sub>2</sub> emission reduction target is plotted in figure 22, since the CO<sub>2</sub> emissions are only a part of the total greenhouse gas budget with reduction levels according to the Kyoto protocol, see chapter 3.




Figure 23 European CO<sub>2</sub> emissions in 1994 (kg CO<sub>2</sub>/capita)

The EU-15 CO<sub>2</sub> emissions per capita are shown in figure 23 (Ritter, 1997). The emissions from agriculture and forestry as well as nature are excluded from the totals. The Danish per capita emissions are higher than the EU-15 average CO<sub>2</sub> per capita. This is due to the dominant role of fossil fuels in the power and heat generation system.

## 5.7 Nitrous oxide (N<sub>2</sub>O)

Large quantities of N<sub>2</sub>O are created in bacterial processes. Some N<sub>2</sub>O is also formed during combustion, but the emission impact from this process is smaller than the impact from the naturally formed N<sub>2</sub>O. In Denmark the sector "Agriculture and forestry, land use and wood stock change" contributes with 51% of the total emissions in 1996, while "Nature" has a 32% share of the total emissions. The remaining 17% are formed in different combustion processes. The emission distribution is shown in figure 24.




Figure 24 Danish N<sub>2</sub>O emissions in 1996 distributed into categories

The Danish N<sub>2</sub>O emission inventory does not yet follow the revised set of guidelines developed in the framework of IPCC. An update of the Danish inventory will be carried out according to these procedures, but still awaits the update of the CORINAIR software and methodology from the European Environment Agency. The revised N<sub>2</sub>O inventory method is expected to estimate emissions on a 3-4 times higher level for agriculture compared with the inventory method used until now.




Figure 25 Danish 1975-96 N<sub>2</sub>O emissions in totals and main categories

In Figure 25 the Danish N<sub>2</sub>O emissions are shown from 1975 to 1996 in main source categories. Most of the emissions are created by natural processes. In the sector “Agriculture and forestry, land use and wood stock change” it is the use of fertiliser, which causes the emissions. A small amount of the applied fertiliser is transformed to N<sub>2</sub>O by bacteria. From “nature” it is mainly drainage waters, open sea and underdrained and brackish marshes which are the emission sources.

The 1994 N<sub>2</sub>O per capita emissions from the EU-15 countries are shown in figure 26 (Ritter , 1997). The emissions from “nature” are not included in the figure. A large nitrogen input to fertilizers and the production of manure from cattle and sheep give high Irish per capita emissions.




Figure 26 European N<sub>2</sub>O emissions 1994 (kg N<sub>2</sub>O/capita) with main sector nature excluded

## 5.8 Ammonia (NH<sub>3</sub>)

In Denmark manure is almost the only source of NH<sub>3</sub> emissions to the atmosphere. Some ammonia is also formed in combustion processes, but only in negligible quantities.

The inventory of NH<sub>3</sub> has recently been updated. The 1995 and 1996 estimates are based on a model developed at NERI, where the influence of different stables, storage and spreading methods is taken into account. The model is currently being developed and changes will influence the emission results.

For the years 1975-1994 the NH<sub>3</sub> estimates are based on the emission calculations for 1995. This is done by adjusting every year's emissions factors in the entire time period.

The aims for several ammonia emission reduction plans have been included in the emission factor adjustments. A target reduction plan from 1986 (NERI, 1998) made clear that all manure spread on fields should be ploughed down within 24 hours after spreading, wherever possible. The reduction plan was further strengthened in 1987 (NERI, 1998), where it was placed on the farmers to plough down the manure within 12 hours after spreading.

In the adjustments it is furthermore assumed that nothing is cultivated on one third of the crop area by the time of spreading. In this situation it is possible to plough down the manure immediately after it has been spread. The effect is a 80% reduction in the emission factors for spreading process (CORINAIR, 1996).

Also a reduction of the emissions from storage tanks is assumed (CORINAIR, 1996). The reduction is made according to the Action Plan on the Aquatic Environment from 1987 stating that all storage tanks should be equipped with surface cover from the year 1987 (Andersen et al., 1999).




Figure 27 Danish 1975-96 NH<sub>3</sub> emissions in totals and main categories

The Danish NH<sub>3</sub> emissions and the main contributing categories are shown in figure 27 for the period 1975-1996. The total emissions almost solely stem from “Agriculture and Forestry, Land use and Wood stock change”, with animal manure as a main contributor. The adjustment of the emission factors and subsequent lower emission estimates represents an improvement of the NH<sub>3</sub> inventory. However, the emission decrease in the period would tend to be stronger, if more effort was made to calculate more precisely the previous year’s emission factors.




Figure 28 European NH<sub>3</sub> emissions in 1994 (kg NH<sub>3</sub>/capita)

The EU-15 1994 NH<sub>3</sub> emissions are shown in figure 28 (Ritter, 1997). The Danish emissions are almost 18 kg NH<sub>3</sub> per capita, which is above the EU-15 average of almost 10 kg NH<sub>3</sub> per capita. Irish emissions are very high and this is due to the large population of cattle and sheep, which produce large quantities of manure. Since this report was prepared the high per capita emission in Greece have been adjusted to a smaller number as part of an inventory revision.

## 5.9 Heavy metals

At present Denmark has the obligation to report emission inventories for As, Cd, Cr, Cu, Hg, Ni, Pb and Zn according to the Oslo-Paris/Helsingfors conventions and As, Cd, Cr, Cu, Hg, Ni, Pb, Se and Zn according to the European Topic Centre for Air Emissions. Furthermore a protocol under the UNECE convention covering the heavy metals, Cd, Hg and Pb has been signed.

Table 9 International bodies to which Denmark has to report emission data on heavy metals

Heavy metal	OSPARCOM	HELCOM	EEA	UNECE (to be established)
As	X	X	X	
Cd	X	X	X	X
Cr	X	X	X	
Cu	X	X	X	
Hg	X	X	X	X
Ni	X	X	X	
Pb	X	X	X	X
Se			X	
Zn	X	X	X	

The inventory of heavy metals is calculated from activities and emission factors. The quality of the emission factors and the corresponding emissions varies from sector to sector. To a large extent the Danish inventory is based on emission factors from various European sources (e.g., CORINAIR (1996), Berdowski et al. (1995), Most and Veldt (1992)) though also Danish emission factors are used. Table 10 summarises the origin of the emission factors used for calculating the emissions of heavy metals for the most important sectors.

Table 10 Origin of the emission factors used in the Danish heavy metal inventory

SNAP code	Category	Danish sources	European sources
1	Public power plants > 300 MW	X	
	Public power plants > 50 MW	X	X
	District heating plants	X	X
	Refineries		X
2	Non-industrial combustion		X
3	Combustion in manufacturing industry	(X)	X
4	Production processes	X	
7	Road transport		X
8	Other mobile sources		X

Table 11 Total Danish 1996 heavy metal emissions in kg (-: not estimated)

SNAP code	Category	As	Cd	Cr	Cu	Hg	Ni	Pb	Se	Zn
01	Combustion in energy and transformation industries	638	511	2350	2941	1930	8767	11259	2751	21407
02	Non-industrial combustion plants	145	262	223	444	287	3123	1497	8	3749
03	Combustion in manufacturing industry	329	242	615	322	145	11949	652	23	1159
04	Production processes	-	42	7	-	147	294	728	-	5782
05	Extraction and distrib. of fossil fuels	-	-	-	-	-	-	-	-	-
06	Solvent and other product use	-	-	-	-	-	-	-	-	-
07	Road transport	159	32	159	5420	159	223	5445	32	3189
08	Other mobile sources and machinery	71	12	57	1253	54	1091	488	93	928
09	Waste treatment and disposal	-	-	-	-	-	-	-	-	-
10	Agriculture and forestry	-	-	-	-	-	-	-	-	-
11	Nature	-	-	-	-	-	-	-	-	-
Total		1342	1101	3411	10380	2722	25447	20069	2907	36214

Table 11 shows the Danish 1996 total emissions distributed in main categories. The percentage share per category is shown in figure 29. For all the metals except Cu and Ni the emissions for sector 1, "Combustion in energy and transformation industries", account for 50% or more of the national totals.




Figure 29 Distribution of heavy metals on the main sectors

The distribution of heavy metals from SNAP category 1 "Combustion in energy and transformation industries" into the three sub-sectors, "Public power", "District heating" and "Refinery", shows that 49-68

% of the emissions stem from public power plants. For public power plants with a thermal capacity larger than 300 MW, detailed heavy metal inventories are made for 1995 and 1996. The emission factors and the total emissions are listed in table 12 for the heavy metals which are going to be covered by the UNECE Convention.

Table 12 Emission of heavy metals from public power plants > 300 MW

Year	Cd	Hg	Pb
1995 (kg/year)	32	399	1391
1996 (kg/year)	51	590	1814
1995 (kg/PJ)	0.123	1.53	5.35
1996 (kg/PJ)	0.139	1.60	4.94

For all three metals there is a significant increase in the emissions, even though the emission factors are almost constant. The increase in the emissions from 1995 to 1996 is due to a large increase in the energy production. Figure 30 shows that coal is used as main fuel in public power plants larger than 300 MW. The large coal consumption in 1996 covers the extra fuel needed for this year's increased energy production.




Figure 30 Fuel consumption by public power plants > 300 MW in the years 1994-1995.

Table 11 also shows that heavy metal emissions from industrial production are significant. These emissions come from combustion (SNAP category 3) or production processes (SNAP category 4). The combustion processes contribute with most of the emissions.

The primary fuel used in industrial combustion is oil, and in opposite to the coal-fired large power plants, gas cleaning devices are only seldomly installed. As a consequence the emissions of heavy metals contribute with a relatively high fraction of the total emissions, in cases where the oil heavy metal content is high compared to coal. This is true for Cd, As and Ni, where the industrial combustion accounts for 20-50% of the total emissions.

The road transport (SNAP category 7) contributes to the Cu and Pb emissions with 52 % and 27 %, respectively. All of the road traffic emission factors, except Pb where the Danish fuel content is used, are

European default values from the COPERT model, see paragraph 2.3.1. In general a large part of the emission factors behind the Danish heavy metal inventory is based on European values. To make the Danish inventory more reliable, improved emission factors are going to be worked out based on Danish production processes and combustion plants.

## 5.10 Large point and area source emissions

In the Danish 1996 inventory 44 large point sources have been registered. They are distributed as shown in table 13. The 44 LPS are furthermore listed in appendix 2.

*Table 13* Number and category of large point sources registered in the Danish CORINAIR '96 inventory

Category	Number
Public power/district heating (> 300 MW)	14
Public power/district heating (50-300 MW)	17
Public power/district heating (< 50 MW)	1
Industry	8
Refineries	3
Airports	1

Public power or district heating plants with a thermal capacity greater than 50 MW used only as reserve plants are not included in the list, since the actual activities are very low. However, the list still needs to be completed for future inventory years. This implies the adding of some district heating and industrial plants that fulfil the large point source definitions in paragraph 2.2.2.

Table 14 shows the types of data that can be registered in the CORINAIR database with respect to large point sources (LPS). For most of the large point sources included in the Danish CORINAIR inventory these data are obtained.

*Table 14* Type of LPS data registered in the CORINAIR database

Point source level	Registered data
LPS	Location, nominal capacity, starting year, number of parts (e.g. boilers for power plants, number of stacks)
Parts	Nominal and actual activity, gas cleaning device, fuel consumption, fuel types, emissions or emission factors
Stacks	Height, temperature of the exhaust gases, (area of the stack, flow rate of the exhaust gases).

For most of the LPS in the Danish CORINAIR database the above information is registered.

The emission distribution between area sources and LPS are listed in table 15 and the emission distribution percentages are shown in the figures 31 and 32.

Table 15 Distribution of the Danish 1996 emissions between area and point sources

Pollutant	Area source emission	Point source emission	Total emission	Unit
SO <sub>2</sub>	41733	143927	185660	Mg
NO <sub>x</sub>	167416	120264	287680	Mg
NM VOC	129207	7150	136357	Mg
CH <sub>4</sub>	778149	1220	779369	Mg
CO	590111	7408	59519	Mg
CO <sub>2</sub>	28619	44997	73616	Gg
N <sub>2</sub> O	15720	1324	17044	Mg
NH <sub>3</sub>	99267	0	99267	Mg
As	736	579	1315	kg
Cd	863	242	1105	kg
Cr	1389	2078	3467	kg
Cu	8834	1672	10506	kg
Hg	1359	1336	2695	kg
Ni	16606	9905	26511	kg
Pb	15620	4615	20235	kg
Se	168	3424	3592	kg
Zn	19685	16526	36211	kg




Figure 31 Relative 1996 emissions from Danish area and point sources




Figure 32 Relative heavy metals emissions from Danish area and point sources in 1996

The large point sources contribute with 78 %, 42 % and 61 % of the total SO<sub>2</sub>, NO<sub>x</sub> and CO<sub>2</sub> emissions, respectively. Also for the heavy metals, As, Cd, Hg and Ni, there are major contributions from large point sources (figure 32). The major part of the emissions of these pollutants are due to combustion in energy and transformation industries (SNAP category 1).

Most of the SO<sub>2</sub>, NO<sub>x</sub> and CO<sub>2</sub> emissions from SNAP category 1 come from public power plants with a thermal capacity larger than 300 MW.

Table 16 Relative emissions from public power plants > 300 MW

% of point source emissions			% of total emissions		
SO <sub>2</sub>	NO <sub>x</sub>	CO <sub>2</sub>	SO <sub>2</sub>	NO <sub>x</sub>	CO <sub>2</sub>
93	91	84	72	38	51

Table 16 shows that 14 public power plants contribute with 72, 38 and 51% of the total 1996 SO<sub>2</sub>, NO<sub>x</sub> and CO<sub>2</sub> emissions, respectively. The total shares would have been more modest if the power generation peak had been lower in 1996. The distribution of the energy consumption on fuels for public power plants larger than 300 MW is given in figure 30 for the years 1994, 1995 and 1996. From that figure it is seen that coal is the most used fuel and that the coal consumption has increased with more than 40% from 1995 to 1996.

## 5.11 International emissions

The emissions of SO<sub>2</sub>, NO<sub>x</sub> and CO<sub>2</sub> related to international sea transportation and air traffic are shown in the figures 33, 34 and 35, respectively. Since the international emissions of NMVOC, CH<sub>4</sub>, CO, N<sub>2</sub>O and NH<sub>3</sub> are very small compared to domestic totals they will not be viewed in this report.




Figure 33 Total Danish and international 1975-1996 emissions of SO<sub>2</sub>

The Danish SO<sub>2</sub> emissions decline from 1975 to 1996 is due to measures taken to reduce the emissions from the energy and transformation industries and a lowering of the sulphur content in the fuels used for national transportation. No special attempts have been made to bring down the international SO<sub>2</sub> emissions from marine activities, where especially the residual oil used has a high sulphur content. As a result the international SO<sub>2</sub> emissions show an increase from the mid 1980s and onwards. The emission increase is governed by the increase in fuel use and the high sulphur content. It appears that the international totals are almost half of the Danish national totals even though the international fuel use is lower than 10 % compared with the total national energy consumption.




Figure 34 Total Danish and international 1975-1996 emissions of NO<sub>x</sub>

The development in the international NO<sub>x</sub> emissions is almost similar to what is seen for SO<sub>2</sub>. No major improvements have been achieved in reducing NO<sub>x</sub> and hence the emissions are ruled by the development in fuel use during the period. Most of the international emissions originate from ships using residual fuel but also vehicles using marine diesel for propulsion and to a smaller extent international air traffic have significant contributions.

Energy and transformation industries and national transportation have the largest contributions to the Danish totals but in these two sectors steps have been taken during the period to bring down the emissions. This in combination with an increase in fuel use in general since the mid 1980s and a low NO<sub>x</sub> emission performance by international transportation brings Danish and international emissions on comparable levels in the late part of the 1975-1996 time period.




Figure 35 Total Danish and international 1975-1996 emissions of CO<sub>2</sub>

In terms of CO<sub>2</sub> the international emissions are modest compared with the total Danish budget. The CO<sub>2</sub> emissions related to the use of residual oil are slightly higher than the emissions from ships using marine diesel and the emissions from air traffic, which are at the same level.

## 6 References

*Ahlvik, P., Eggleston, S., Gorißen, N., Hassel, D., Hickman, A.-J., Joumard, R., Ntziachristos, L., Rijkeboer, R., Samaras, Z. and Zierock, K.-H. (1997):* COPERT II Computer Programme to Calculate Emissions from Road Transport - Methodology and Emission Factors - Technical Report No. 6. European Environment Agency, Copenhagen.

*Andersen, J. M., Hutchings, j., Kristensen, V. F., Sommer, S. G. (1999):* Emission af ammoniak fra landbruget - status og kilder, DJF report (under publication).

*Bang, J. R. (1996):* Utslipp av NMVOC for fritidsbåter og bensindrevne motorredskaper. Transportteknologi, Teknologisk Institutt, Oslo.

*Berdowski, J.J.M. , Veldt, C., Baas, J., Bloos, J.P.J. and Klein, A.E. (1995):* Technical paper to the OPSPARCOM-HELCOM-UNECE Emission Inventory of Heavy Metals and Persistent Organic Pollutants. Report TNO-MEP-R 95/247. TNO Institute of Environmental Sciences, Energy Research and Process Innovation, Delft, The Netherlands.

*Chang, J.-P. and Fontelle, J.-P. (1996):* Corinair air emission system version 1.0. Instructions for use. Report, European Environmental Agency, Copenhagen, Denmark.

*Copenhagen Airport (1996):* VVM Fagprosjekt - Luftforurening, Copenhagen Airport, Copenhagen (in Danish).

*Copenhagen Airport (1997):* Traffic Statistics 1996, Copenhagen Airport, Copenhagen (in Danish).

*CORINAIR (1993):* CORINAIR working group on emission factors for calculating 1990 emissions from road traffic: Volume 1: Methodology and emission factors, ISBN 92-826-5771-X, Commission of the European Communities, Brussels.

*CORINAIR (1996):* Atmospheric Emission Inventory Guidebook, First Edition. Vol. 1 and 2. European Environment Agency, Copenhagen Denmark.

*Dansk Teknologisk Institut (1992):* Emission fra Landbrugsmaskiner og Entreprenørmateriel, udført for Miljøstyrelsen af Miljøsamarbejdet i Århus (in Danish).

*Dansk Teknologisk Institut (1993):* Emission fra Motordrevne Arbejdsredskaber og -maskiner, udført for Miljøstyrelsen af Abrahamssen & Nielsen A/S (in Danish).

*EEA (1995):* CORINAIR 90 - Summary Report 1. European Environmental Agency EEA/053/95. Copenhagen, Denmark.

*Fenhann, J. and Kilde, N. (1994):* Inventory of Emissions to the Air from Danish Sources 1972-1994. Risø National Laboratory, Roskilde, Denmark.

*Fenhann, J., Kilde, N.A., Runge, E., Winther, M., & Illerup, J.B. (1997):* Inventory of Emissions to the Air from Danish Sources 1992-1995. Samfund og miljø - Emission Inventories. National Environmental Research Institute, Roskilde, Denmark 130 pp.- Research Notes from NERI No 68.

*Lloyd's (1995):* Marine Exhaust Emissions Programme. Engineering Services Group, Croydon, UK.

*Most, P.F.J van der and Veldt C. (1992):* Emission Factors Manual. PARCOM-ATMOS. Emission factors for air pollutants 1992. Report TNO-92-235. Delft, The Netherlands.

*NERI (1998):* Holten-Andersen, J., Christensen, N., Kristiansen, L. W., Kristensen, P. & Emborg, L. (Eds.) : The State of the Environment in Denmark, 1997. National Environmental Research Institute, Denmark. - NERI. Technical Report No. 243, 288 pp.

*Ritter, M. (1997):* CORINAIR 94. Summary Report. Final version. Report to the European Environmental Agency from the European Topic Centre on Air Emissions, Copenhagen, Denmark.

*Statistics Denmark (1997):* Statistical Yearbook 1997, Statistics Denmark, Copenhagen (in Danish).

# Appendix 1

01	COMBUSTION IN ENERGY AND TRANSFORMATION INDUSTRIES	ACIDIFYERS, OZONE PRECURSORS AND GREENHOUSE GASES								HEAVY METALS						PERSISTANT ORGANIC POLLUTANTS						
		SO <sub>x</sub>	NO <sub>x</sub>	NM VOC	CH <sub>4</sub>	CO	CO <sub>2</sub>	N <sub>2</sub> O	NH <sub>3</sub>	As	Cd	Cr	Cu	Hg	Ni	Pb	Se	Zn	TRI	PER	DIOX	PAH
01 01	<b>Public power</b>																					
01 01 01	Combustion plants >= 300 MW (boilers)	<b>M</b>	<b>M</b>	x	x	x	<b>M</b>	<b>X</b>	(x)	x	x	x	x	x	x	x	x	x	-	-	(x)	x
01 01 02	Combustion plants >= 50 and < 300 MW (boilers)	<b>X</b>	x	(x)	(x)	(x)	<b>X</b>	x	(x)	x	x	x	x	x	x	x	x	x	-	-	(x)	x
01 01 03	Combustion plants < 50 MW (boilers)	x	x	(x)	(x)	(x)	x	x	(x)	x	x	x	x	x	x	x	x	x	-	-	(x)	x
01 01 04	Gas turbines	(x)	x	(x)	(x)	(x)	x	(x)	(x)	(x)	(x)	(x)	(x)	(x)	(x)	(x)	(x)	(x)	-	-	-	(x)
01 01 05	Stationary engines	x	x	(x)	(x)	(x)	(x)	(x)	(x)	x	x	x	x	x	x	x	x	x	-	-	-	x
01 02	<b>District heating plants</b>																					
01 02 01	Combustion plants >= 300 MW (boilers)	x	x	(x)	(x)	(x)	x	x	(x)	x	x	x	x	x	x	x	x	x	-	-	(x)	x
01 02 02	Combustion plants >= 50 and < 300 MW (boilers)	<b>X</b>	x	(x)	(x)	(x)	x	x	(x)	x	x	x	x	x	x	x	x	x	-	-	(x)	x
01 02 03	Combustion plants < 50 MW (boilers)	<b>X</b>	x	(x)	(x)	x	x	(x)	(x)	x	x	x	x	x	x	x	x	x	-	-	(x)	x
01 02 04	Gas turbines	(x)	(x)	(x)	(x)	(x)	(x)	(x)	(x)	(x)	(x)	(x)	(x)	(x)	(x)	(x)	(x)	(x)	-	-	-	(x)
01 02 05	Stationary engines	(x)	(x)	(x)	(x)	(x)	(x)	(x)	(x)	x	x	x	x	x	x	x	x	x	-	-	-	x
01 03	<b>Petroleum refining plants</b>																					
01 03 01	Combustion plants >= 300 MW (boilers)	x	x	(x)	(x)	(x)	x	x	(x)	x	x	x	x	x	x	x	x	x	-	-	(x)	x
01 03 02	Combustion plants >= 50 and < 300 MW (boilers)	x	x	(x)	(x)	(x)	x	x	(x)	x	x	x	x	x	x	x	x	x	-	-	(x)	x
01 03 03	Combustion plants < 50 MW (boilers)	x	x	(x)	(x)	(x)	x	x	(x)	x	x	x	x	x	x	x	x	x	-	-	(x)	x
01 03 04	Gas turbines	(x)	(x)	(x)	(x)	(x)	(x)	(x)	(x)	(x)	(x)	(x)	(x)	(x)	(x)	(x)	(x)	(x)	-	-	-	(x)
01 03 05	Stationary engines	(x)	(x)	(x)	(x)	(x)	(x)	(x)	(x)	x	x	x	x	x	x	x	x	x	-	-	-	x
01 03 06	Process furnaces	<b>X</b>	x	x	x	x	<b>X</b>	x	(x)	x	x	x	x	x	x	x	x	x	-	-	-	x
01 04	<b>Solid fuel transformation plants</b>																					
01 04 01	Combustion plants >= 300 MW (boilers)	x	x	(x)	(x)	(x)	x	x	(x)	x	x	x	x	x	x	x	x	x	-	-	(x)	x
01 04 02	Combustion plants >= 50 and < 300 MW (boilers)	x	x	(x)	(x)	(x)	x	x	(x)	x	x	x	x	x	x	x	x	x	-	-	(x)	x
01 04 03	Combustion plants < 50 MW (boilers)	x	x	(x)	(x)	(x)	x	x	(x)	x	x	x	x	x	x	x	x	x	-	-	(x)	x
01 04 04	Gas turbines	(x)	(x)	(x)	(x)	(x)	(x)	(x)	(x)	(x)	(x)	(x)	(x)	(x)	(x)	(x)	(x)	(x)	-	-	-	(x)
01 04 05	Stationary engines	(x)	(x)	(x)	(x)	(x)	(x)	(x)	(x)	x	x	x	x	x	x	x	x	x	-	-	-	x
01 04 06	Coke oven furnaces	x	x	x	x	x	<b>X</b>	x	(x)	x	x	x	x	x	x	x	x	x	-	-	-	x
01 04 07	Other (coal gasification, liquefaction, ...)	(x)	(x)	(x)	(x)	(x)	(x)	(x)	(x)	x	x	x	x	x	x	x	x	x	-	-	-	x
01 05	<b>Coal mining, oil / gas extraction, pipeline compressors</b>																					
01 05 01	Combustion plants >= 300 MW (boilers)	x	x	(x)	(x)	(x)	x	x	(x)	x	x	x	x	x	x	x	x	x	-	-	(x)	x
01 05 02	Combustion plants >= 50 and < 300 MW (boilers)	x	x	(x)	(x)	(x)	x	x	(x)	x	x	x	x	x	x	x	x	x	-	-	(x)	x
01 05 03	Combustion plants < 50 MW (boilers)	x	x	(x)	(x)	(x)	x	x	(x)	x	x	x	x	x	x	x	x	x	-	-	(x)	x
01 05 04	Gas turbines	(x)	(x)	(x)	(x)	(x)	(x)	(x)	(x)	(x)	(x)	(x)	(x)	(x)	(x)	(x)	(x)	(x)	-	-	-	(x)
01 05 05	Stationary engines	(x)	(x)	(x)	(x)	(x)	(x)	(x)	(x)	x	x	x	x	x	x	x	x	x	-	-	-	x
01 05 06	Pipeline compressors	(x)	(x)	(x)	(x)	(x)	(x)	(x)	(x)	(x)	(x)	(x)	(x)	(x)	(x)	(x)	(x)	(x)	-	-	-	(x)

**M**: > 10 % , **X**: > 1 % , x : > 0.1 % , (x) : < 0.1 % , - : generally not relevant

TRI: trichloroethylene, PER: tetrachloroethylene, DIOX: dioxins, PAH: Polyaromatic hydrocarbons

02	NON-INDUSTRIAL COMBUSTION PLANTS	ACIDIFIERS, OZONE PRECURSORS AND GREENHOUSE GASES								HEAVY METALS								PERSISTANT ORGANIC POLLUTANTS				
		SO <sub>x</sub>	No <sub>x</sub>	NMVOG	CH <sub>4</sub>	CO	CO <sub>2</sub>	N <sub>2</sub> O	NH <sub>3</sub>	As	Cd	Cr	Cu	Hg	Ni	Pb	Se	Zn	TRI	PER	DIOX	PAH
02 01	<b>Commercial and institutional plants</b>																					
02 01 01	Combustion plants >= 300 MW (boilers)	x	x	x	(x)	x	x	x	(x)	x	x	x	x	x	x	x	x	-	-	(x)	x	
02 01 02	Combustion plants >= 50 and < 300 MW (boilers)	x	x	x	(x)	x	x	x	(x)	x	x	x	x	x	x	x	x	-	-	(x)	x	
02 01 03	Combustion plants < 50 MW (boilers)	x	x	x	(x)	x	x	x	(x)	x	x	x	x	x	x	x	x	-	-	(x)	x	
02 01 04	Stationary gas turbines	(x)	(x)	(x)	(x)	(x)	(x)	(x)	(x)	(x)	(x)	(x)	(x)	(x)	(x)	(x)	(x)	-	-	-	(x)	
02 01 05	Stationary engines	(x)	(x)	(x)	(x)	(x)	(x)	(x)	(x)	x	x	x	x	x	x	x	x	-	-	-	x	
02 01 06	Other stationary equipment's	x	x	x	(x)	x	x	x	(x)	x	x	x	x	x	x	x	x	-	-	(x)	x	
02 02	<b>Residential plants</b>																					
02 02 01	Combustion plants >= 50 MW (boilers)	x	x	x	(x)	(x)	x	x	(x)	x	x	x	x	x	x	x	x	-	-	x	x	
02 02 02	Combustion plants < 50 MW (boilers)	<b>M</b>	<b>X</b>	<b>X</b>	<b>X</b>	<b>M</b>	<b>M</b>	<b>X</b>	(x)	x	x	x	x	x	x	x	x	-	-	-	x	
02 02 03	Gas turbines	(x)	(x)	(x)	(x)	(x)	(x)	(x)	(x)	(x)	(x)	(x)	(x)	(x)	(x)	(x)	(x)	-	-	-	(x)	
02 02 04	Stationary engines	x	(x)	(x)	(x)	(x)	(x)	(x)	(x)	x	x	x	x	x	x	x	x	-	-	-	x	
02 02 05	Other equipment (stoves, fireplaces, cooking,...)	x	x	x	x	x	x	x	(x)	x	x	x	x	x	x	x	x	-	-	x	x	
02 03	<b>Plants in agriculture, forestry and aquaculture</b>																					
02 03 01	Combustion plants >= 50 MW (boilers)	(x)	(x)	(x)	(x)	(x)	(x)	(x)	(x)	x	x	x	x	x	x	x	x	-	-	(x)	x	
02 03 02	Combustion plants < 50 MW (boilers)	(x)	(x)	(x)	(x)	(x)	(x)	(x)	(x)	x	x	x	x	x	x	x	x	-	-	(x)	x	
02 03 03	Stationary gas turbines	(x)	(x)	(x)	(x)	(x)	(x)	(x)	(x)	(x)	(x)	(x)	(x)	(x)	(x)	(x)	(x)	-	-	-	(x)	
02 03 04	Stationary engines	(x)	(x)	(x)	(x)	(x)	(x)	(x)	(x)	x	x	x	x	x	x	x	x	-	-	-	x	
02 03 05	Other stationary equipment	(x)	(x)	(x)	(x)	(x)	(x)	(x)	(x)	x	x	x	x	x	x	x	x	-	-	(x)	x	

**M:** > 10 % , **X:** > 1 % , **x :** > 0.1 % , **(x) :** < 0.1 % , **- :** generally not relevant

03	COMBUSTION IN MANUFACTURING INDUSTRY	ACIDIFYERS, OZONE PRECURSORS AND GREENHOUSE GASES								HEAVY METALS						PERSISTANT ORGANIC POLLUTANTS						
		Ox	Ox	NM VOC	CH <sub>4</sub>	CO	CO <sub>2</sub>	N <sub>2</sub> O	NH <sub>3</sub>	As	Cd	Kr	Cu	Hg	Ni	PBX	Se	Zen	TRI	PER	DIOX	PAH
03 01	<b>Comb. in boilers, gas turbines and stationary engines</b>																					
03 01	Combustion plants >= 300 MW (boilers)	X	X	(x)	(x)	x	X	x	(x)	x	x	x	x	x	x	x	x	x	-	-	(x)	x
03 01 02	Combustion plants >= 50 and < 300 MW (boilers)	X	X	(x)	(x)	x	X	x	(x)	x	x	x	x	x	x	x	x	x	-	-	(x)	x
03 01 03	Combustion plants < 50 MW (boilers)	X	X	x	x	x	X	X	(x)	x	x	x	x	x	x	x	x	x	-	-	(x)	x
03 01 04	Gas turbines	(x)	x	(x)	(x)	(x)	x	(x)	(x)	(x)	(x)	(x)	(x)	(x)	(x)	(x)	(x)	(x)	-	-	-	(x)
03 01 05	Stationary engines	x	x	(x)	(x)	(x)	x	(x)	(x)	x	x	x	x	x	x	x	x	x	-	-	-	x
03 01 06	Other stationary equipment	x	x	x	x	x	x	x	(x)	x	x	x	x	x	x	x	x	x	-	-	(x)	x
03 02	<b>Process furnaces without contact</b>																					
03 02 03	Blast furnace cowpers	x	x	(x)	(x)	x	X	x	-	x	x	x	x	x	x	x	x	x	-	-	-	x
03 02 04	Plaster furnaces	x	x	x	(x)	x	x	x	-	x	x	x	x	x	x	x	x	x	-	-	-	x
03 02 05	Other furnaces	(x)	(x)	(x)	-	(x)	(x)	x	-	x	x	x	x	x	x	x	x	x	-	-	(x)	x
03 03	<b>Processes with contact</b>																					
03 03 01	Sinter plants	X	X	x	x	X	x	(x)	(x)	x	x	x	(x)	x	x	(x)	x	-	-	x	x	
03 03 02	Reheating furnaces steel and iron	x	x	(x)	(x)	x	x	x	-	x	x	x	(x)	x	x	(x)	x	-	-	(x)	x	
03 03 03	Gray iron foundries	(x)	(x)	(x)	(x)	X	x	(x)	-	x	x	x	-	-	x	x	-	x	-	-	(x)	x
03 03 04	Primary lead production	x	(x)	(x)	-	(x)	(x)	-	-	x	x	-	x	(x)	-	x	-	x	-	-	-	(x)
03 03 05	Primary zinc production	x	(x)	(x)	-	(x)	(x)	-	-	x	x	-	x	(x)	-	x	-	x	-	-	-	(x)
03 03 06	Primary copper production	x	(x)	(x)	-	x	(x)	-	-	x	x	-	x	(x)	-	x	-	x	-	-	(x)	-
03 03 07	Secondary lead production	(x)	(x)	(x)	-	(x)	(x)	-	-	x	x	-	-	-	-	x	-	x	-	-	-	(x)
03 03 08	Secondary zinc production	(x)	(x)	(x)	-	(x)	(x)	-	-	x	x	-	-	x	-	x	-	x	-	-	-	-
03 03 09	Secondary copper production	(x)	(x)	(x)	-	(x)	(x)	-	-	x	(x)	-	x	-	-	(x)	-	(x)	-	-	(x)	-
03 03 10	Secondary aluminium production	(x)	(x)	(x)	-	(x)	(x)	-	-	-	x	-	-	-	-	-	-	-	-	-	(x)	x
03 03 11	Cement (f)	x	X	(x)	(x)	x	X	x	-	x	x	x	x	x	x	x	x	x	-	-	(x)	x
03 03 12	Lime (incl. iron and steel and paper pulp industry)	x	x	(x)	-	x	x	-	-	x	x	x	-	x	x	x	x	x	-	-	(x)	x
03 03 13	Asphalt concrete plants	x	(x)	(x)	-	(x)	x	-	-	-	-	-	-	-	-	-	-	-	-	-	-	x
03 03 14	Flat glass	x	x	(x)	-	(x)	x	-	-	x	x	x	x	x	x	x	x	x	-	-	-	-
03 03 15	Container glass (f)	x	x	(x)	-	(x)	x	-	-	x	x	x	x	x	x	x	x	x	-	-	-	-
03 03 16	Glass wool (except binding) (f)	(x)	(x)	(x)	-	(x)	(x)	-	-	x	x	x	x	x	x	x	x	x	-	-	-	-
03 03 17	Other glass (f)	(x)	x	(x)	-	(x)	(x)	-	-	x	x	x	x	x	x	x	x	x	-	-	-	-
03 03 18	Mineral wool (except binding)	(x)	(x)	(x)	-	(x)	(x)	-	-	x	x	x	x	x	x	x	x	x	-	-	-	-
03 03 19	Bricks and tiles	x	x	(x)	-	x	x	x	-	x	x	x	x	x	x	x	x	x	-	-	-	-
03 03 20	Fine ceramic materials	x	x	(x)	-	x	x	x	-	(x)	(x)	-	-	-	-	(x)	(x)	-	-	-	-	-
03 03 21	Paper-mill industry (drying processes)	x	(x)	(x)	(x)	(x)	x	x	-	-	-	-	-	-	-	-	-	-	-	-	(x)	-
03 03 22	Aluminium production	(x)	(x)	(x)	-	(x)	(x)	(x)	-	-	-	-	-	-	-	-	-	-	-	-	-	-
03 03 23	Magnesium production (dolomite treatment)	(x)	-	-	-	(x)	(x)	-	-	-	-	-	-	-	-	-	-	-	-	-	(x)	-
03 03 24	Nickel production (thermal process)	(x)	(x)	(x)	-	(x)	(x)	(x)	-	-	-	-	-	-	x	-	-	-	-	-	(x)	-
03 03 25	Enamel production	(x)	(x)	(x)	-	(x)	(x)	(x)	-	x	x	-	-	-	x	-	x	-	-	-	-	-
03 03 26	Other	(x)	(x)	(x)	(x)	(x)	(x)	(x)	(x)	(x)	(x)	(x)	(x)	(x)	(x)	(x)	(x)	(x)	-	(x)	(x)	(x)

M: > 10 % , X: > 1 % , x : > 0.1 % , (x) : < 0.1 % , - : generally not relevant

04	PRODUCTION PROCESSES	ACIDIFYERS, OZONE PRECURSORS AND GREENHOUSE GASES								HEAVY METALS							PERSISTANT ORGANIC POLLUTANTS					
		SO <sub>x</sub>	NO <sub>x</sub>	NMVOG	CH <sub>4</sub>	CO	CO <sub>2</sub>	N <sub>2</sub> O	NH <sub>3</sub>	As	Cd	Cr	Cu	Hg	Ni	Pb	Se	Zn	TRI	PER	DIOX	PAH
04 01	<b>Processes in petroleum industries</b>																					
04 01 01	Petroleum products processing	x	x	x	(x)	(x)	x	x	-	-	-	-	-	-	-	-	-	-	-	-	-	x
04 01 02	Fluid catalytic cracking - CO boiler	x	x	(x)	-	(x)	x	(x)	-	-	-	-	-	-	-	-	-	-	-	-	-	(x)
04 01 03	Sulphur recovery plants	x	-	(x)	-	(x)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	(x)
04 01 04	Storage and handling of petroleum prod.. in refinery	-	-	x	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	(x)
04 01 05	Other	(x)	(x)	(x)	(x)	(x)	(x)	(x)	(x)	(x)	(x)	(x)	(x)	(x)	(x)	(x)	(x)	(x)	(x)	(x)	(x)	(x)
04 02	<b>Processes in iron and steel industries and collieries</b>																					
04 02 01	Coke oven (door leakage and extinction)	-	-	x	x	(x)	(x)	-	(x)	x	x	x	x	x	x	x	-	x	-	-	-	x
04 02 02	Blast furnace charging	-	-	(x)	-	x	x	-	-	x	x	x	x	-	x	x	-	x	-	-	-	x
04 02 03	Pig iron tapping	(x)	-	-	(x)	(x)	-	-	-	-	x	-	-	-	-	-	-	-	-	-	(x)	x
04 02 04	Solid smokeless fuel	-	-	(x)	(x)	-	-	-	-	x	x	-	-	x	-	x	-	x	-	-	-	x
04 02 05	Open hearth furnace steel plant	(x)	x	(x)	(x)	(x)	(x)	(x)	-	x	x	x	x	x	x	x	x	x	-	-	(x)	x
04 02 06	Basic oxygen furnace steel plant	x	(x)	(x)	(x)	X	(x)	(x)	-	x	x	x	x	x	x	x	x	x	-	-	(x)	x
04 02 07	Electric furnace steel plant	(x)	x	(x)	(x)	x	(x)	(x)	-	x	x	x	x	x	x	x	x	x	-	-	(x)	x
04 02 08	Rolling mills	-	-	(x)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	x
04 02 09	Sinter plant (except combustion 03.03.01)	(x)	(x)	(x)	(x)	(x)	(x)	-	-	-	-	-	-	-	-	-	-	-	-	-	(x)	x
04 02 10	Other	(x)	(x)	(x)	(x)	(x)	(x)	(x)	(x)	(x)	(x)	(x)	(x)	(x)	(x)	(x)	(x)	(x)	(x)	(x)	(x)	(x)
04 03	<b>Processes in non-ferrous metal industries</b>																					
04 03 01	Aluminium production (electrolysis)	x	(x)	(x)	-	x	x	(x)	(x)	-	x	-	-	-	x	-	-	x	-	-	(x)	x
04 03 02	Ferro alloys	x	(x)	(x)	(x)	x	x	-	-	-	-	x	-	-	x	-	-	-	-	-	(x)	x
04 03 03	Silicium production	-	-	-	-	(x)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	(x)
04 03 04	Magnesium production (except 03.03.23)	x	-	-	-	x	x	-	-	-	-	-	-	-	-	-	-	-	-	-	(x)	-
04 03 05	Nickel production (except 03.03.24)	-	-	-	-	-	-	-	-	-	-	-	-	-	x	-	-	-	-	-	-	-
04 03 06	Allied metal manufacturing	-	-	-	-	-	-	-	-	-	-	x	-	-	-	-	-	-	-	-	-	-
04 03 07	Galvanising	-	-	-	-	-	-	-	-	-	x	-	-	-	x	-	x	-	-	-	-	-
04 03 08	Electroplating	-	-	-	-	-	-	-	-	-	-	x	-	-	x	-	-	-	-	-	-	-
04 03 09	Other	(x)	(x)	(x)	(x)	(x)	(x)	(x)	(x)	(x)	(x)	(x)	(x)	(x)	(x)	(x)	(x)	(x)	(x)	(x)	(x)	(x)
04 04	<b>Processes in inorganic chemical industries</b>																					
04 04 01	Sulphuric acid	x	-	-	-	-	-	-	-	(x)	(x)	-	-	(x)	-	(x)	-	(x)	-	-	-	-
04 04 02	Nitric acid	-	x	x	-	-	-	X	x	-	-	-	-	-	-	-	-	-	-	-	-	-
04 04 03	Ammonia	-	x	x	(x)	-	x	X	x	-	-	-	-	-	-	-	-	-	-	-	-	-
04 04 04	Ammonium sulphate	(x)	-	-	-	-	-	-	x	-	-	-	-	-	-	-	-	-	-	-	-	-
04 04 05	Ammonium nitrate	-	(x)	-	-	-	-	-	x	-	-	-	-	-	-	-	-	-	-	-	-	-
04 04 06	Ammonium phosphate	-	-	-	-	-	-	-	x	-	-	-	-	-	-	-	-	-	-	-	-	-
04 04 07	NPK fertilisers	x	x	x	-	-	-	-	X	-	-	-	-	-	-	-	-	-	-	-	-	-
04 04 08	Urea	-	-	-	-	(x)	-	-	x	-	-	-	-	-	-	-	-	-	-	-	-	-
04 04 09	Carbon black	(x)	-	x	x	(x)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	x
04 04 10	Titanium dioxide	x	x	(x)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
04 04 11	Graphite	-	-	(x)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	x
04 04 12	Calcium carbide production	-	-	-	-	-	x	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
04 04 13	Chlorine production	-	-	-	-	-	-	-	-	-	-	-	-	x	-	-	-	-	-	-	(x)	-



04 06 15	Batteries manufacturing	-	-	-	-	-	-	-	-	x	-	-	x	x	x	-	x	-	-	-	-
04 06 16	Extraction of mineral ores	-	-	-	-	-	-	-	(x)												
04 06 17	Other (including amiante production)	(x)																			
04 07	<b>Cooling plants</b>	-	-	-	-	-	-	x	-	-	-	-	-	-	-	-	-	-	-	-	-

**M:** > 10 % , **X:** > 1 % , **x :** > 0.1 % , **(x) :** < 0.1 % , **- :** generally not relevant

05	EXTRACTION AND DISTRIBUTION OF FOSSIL FUELS AND GEOTHERMAL ENERGY	ACIDIFYERS, OZONE PRECURSORS AND GREENHOUSE GASES							HEAVY METALS					PERSISTANT ORGANIC POLLUTANTS						
		SO <sub>x</sub>	NO <sub>x</sub>	NMVOC	CH <sub>4</sub>	COC	CO <sub>2</sub>	N <sub>2</sub> O	NH <sub>3</sub>	As	Cd	Cr	Cu	Hg	Ni	Se	Zn	TRI	PER	DIOX
05 01	<b>Extraction and 1st treatment of solid fossil fuels</b>																			
05 01 01	Open cast mining	-	-	-	X	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
05 01 02	Underground mining	-	-	-	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
05 01 03	Storage of solid fuel	-	-	-	X	(x)	-	-	-	-	-	-	-	-	-	-	-	-	-	-
05 02	<b>Extraction, 1st treatment and loading of liquid fossil fuels</b>																			
05 02 01	Land-based activities	(x)	-	(x)	(x)	(x)	(x)	-	-	-	-	-	-	-	-	-	-	-	-	-
05 02 02	Off-shore activities	(x)	-	X	x	(x)	x	-	-	-	-	-	-	-	-	-	-	-	-	-
05 03	<b>Extraction, 1st treatment and loading of gaseous fossil fuels</b>																			
05 03 01	Land-based desulfuration	x	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
05 03 02	Land-based activities (other than desulfuration)	(x)	-	x	x	(x)	x	-	-	-	-	-	-	-	-	-	-	-	-	-
05 03 03	Off-shore activities	(x)	-	(x)	x	(x)	(x)	-	-	-	-	-	-	-	-	-	-	-	-	-
05 04	<b>Liquid fuel distribution (except gasoline distribution)</b>																			
05 04 01	Marine terminals (tankers, handling and storage)	-	-	x	(x)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
05 04 02	Other handling and storage (including pipeline)	-	-	x	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
05 05	<b>Gasoline distribution</b>																			
05 05 01	Refinery dispatch station	-	-	x	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
05 05 02	Transport and depots (except 05.05.03)	-	-	x	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
05 05 03	Service stations (including refuelling of cars)	-	-	X	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
05 06	<b>Gas distribution networks</b>																			
05 06 01	Pipelines	-	-	(x)	x	(x)	-	-	-	-	-	-	-	-	-	-	-	-	-	-
05 06 03	Distribution networks	-	-	x	X	(x)	-	-	-	-	-	-	-	-	-	-	-	-	-	-
05 07	<b>Geothermal energy extraction</b>																			
		(x)	-	-	-	-	(x)	-	-	-	-	-	-	-	-	-	-	-	-	-

**M:** > 10 % , **X:** > 1 % , **x :** > 0.1 % , **(x) :** < 0.1 % , **- :** generally not relevant

06	SOLVENT AND OTHER PRODUCT USE	ACIDIFYERS, OZONE PRECURSORS AND GREENHOUSE GASES								HEAVY METALS							PERSISTANT ORGANIC POLLUTANTS					
		SO <sub>x</sub>	NO <sub>x</sub>	NMVO	CH <sub>4</sub>	CO	CO <sub>2</sub>	N <sub>2</sub> O	NH <sub>3</sub>	As	Cd	Cr	Cu	Hg	Ni	Pb	Se	Zn	TRI	PER	DIOX	PAH
06 01	<b>Paint application</b>																					
06 01 01	Paint application : manufacture of automobiles	-	-	x	-	-	-	-	-	-	-	-	-	-	-	-	-	x	x	-	-	
06 01 02	Paint application : car repairing	-	-	x	-	-	-	-	-	-	-	-	-	-	-	-	-	x	x	-	-	
06 01 03	Paint application : construction and buildings (except item 06.01.07)	-	-	<b>X</b>	-	-	-	-	-	-	-	-	-	-	-	-	-	x	x	-	-	
06 01 04	Paint application : domestic use (except 06.01.07)	-	-	x	-	-	-	-	-	-	-	-	-	-	-	-	-	x	x	-	-	
06 01 05	Paint application : coil coating	-	-	x	-	-	-	-	-	-	-	-	-	-	-	-	-	x	x	-	-	
06 01 06	Paint application : boat building	-	-	x	-	-	-	-	-	-	-	-	-	-	-	-	-	x	x	-	-	
06 01 07	Paint application : wood	-	-	x	-	-	-	-	-	-	-	-	-	-	-	-	-	x	x	-	-	
06 01 08	Other industrial paint application	-	-	x	-	-	-	-	-	-	-	-	-	-	-	-	-	x	x	-	-	
06 01 09	Other non industrial paint application	-	-	x	-	-	-	-	-	-	-	-	-	-	-	-	-	x	x	-	-	
06 02	<b>Degreasing, dry cleaning and electronics</b>																					
06 02 01	Metal degreasing	-	-	<b>X</b>	-	-	-	-	-	-	-	-	-	-	-	-	-	x	x	(x)	-	
06 02 02	Dry cleaning	-	-	x	-	-	-	-	-	-	-	-	-	-	-	-	-	x	x	(x)	-	
06 02 03	Electronic components manufacturing	-	-	x	-	-	-	-	-	-	-	-	-	-	-	-	-	x	x	-	-	
06 02 04	Other industrial cleaning	-	-	x	-	-	-	-	-	-	-	-	-	-	-	-	-	x	x	-	-	
06 03	<b>Chemical products manufacturing or processing</b>																					
06 03 01	Polyester processing	-	-	(x)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
06 03 02	Polyvinyl chloride processing	-	-	x	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
06 03 03	Polyurethane processing	-	-	x	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
06 03 04	Polystyrene foam processing	-	-	x	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
06 03 05	Rubber processing	-	-	x	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	x	
06 03 06	Pharmaceutical products manufacturing	-	-	x	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
06 03 07	Paints manufacturing	-	-	x	-	-	-	-	-	x	x	-	-	-	x	x	-	x	-	-	-	
06 03 08	Inks manufacturing	-	-	(x)	-	-	-	-	-	-	-	-	-	-	-	-	-	x	-	-	-	
06 03 09	Glues manufacturing	-	-	x	-	-	-	-	-	-	-	-	-	-	-	-	-	x	-	-	-	
06 03 10	Asphalt blowing	-	-	x	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	x	
06 03 11	Adhesive, magnetic tapes, films and photographs manufacturing	-	-	x	-	-	-	-	-	-	-	-	-	-	-	-	-	(x)	-	-	-	
06 03 12	Textile finishing	-	-	(x)	-	-	-	-	-	-	-	-	-	-	-	-	-	x	-	-	-	
06 03 13	Leather tanning	-	-	(x)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
06 03 14	Other	-	-	(x)	-	-	-	-	-	-	-	-	-	-	-	-	-	(x)	(x)	-	-	
0604	<b>Other use of solvents and related activities</b>																					
060401	Glass wool enduction			x																		
060402	Mineral wool enduction			(x)																		
060403	Printing industry			x														(x)				
060404	Fat, edible and non edible oil extraction			x														x		x		
060405	Application of glues and adhesives			x																		
060406	Preservation of wood			x																		
060407	Underseal treatment and conservation of vehicles			x																		

060408	Domestic solvent use (other than paint application)	x		(x)	
060409	Vehicles dewaxing	x			
060410	Pharmaceutical products manufacturing	x			
060411	Domestic use of pharmaceutical products	x			
060412	Other (Preservation of seeds,...)	x		(x)	(x)
0605	<b>Use of N2O</b>				
060501	Use of N2O for anaesthesia			x	
060502	Other use of N2O			x	

---

**M:** > 10 % , **X:** > 1 % , **x :** > 0.1 % , **(x) :** < 0.1 % , **- :** generally not relevant

07	ROAD TRANSPORT	ACIDIFIERS, OZONE PRECURSORS AND GREENHOUSE GASES									HEAVY METALS						PERSISTANT ORGANIC POLLUTANTS					
		SO <sub>x</sub>	NO <sub>x</sub>	NMVOC	CH <sub>4</sub>	CO	CO <sub>2</sub>	N <sub>2</sub> O	NH <sub>3</sub>	As	Cd	Cr	Cu	Hg	Ni	Pb	Se	Zn	TRI	PER	DIOX	PAH
07 01	<b>Passenger cars</b>																					
07 01 01	Highway driving	x	X	X	(x)	X	X	x	x	-	x	x	x	-	x	x	x	x	-	-	(x)	x
07 01 02	Rural driving	x	X	X	x	M	X	x	x	-	x	x	x	-	x	x	x	x	-	-	(x)	x
07 01 03	Urban driving	x	X	X	x	M	X	x	x	-	x	x	x	-	x	x	x	x	-	-	(x)	x
07 02	<b>Light duty vehicles &lt; 3.5 t</b>																					
07 02 01	Highway driving	(x)	x	x	(x)	x	x	x	(x)	-	x	x	x	-	x	x	x	x	-	-	(x)	x
07 02 02	Rural driving	x	X	x	(x)	X	x	x	(x)	-	x	x	x	-	x	x	x	x	-	-	(x)	x
07 02 03	Urban driving	x	X	X	(x)	X	x	x	(x)	-	x	x	x	-	x	x	x	x	-	-	(x)	x
07 03	<b>Heavy duty vehicles &gt; 3.5 t and buses</b>																					
07 03 01	Highway driving	x	X	x	(x)	x	X	x	(x)	-	x	x	x	-	x	x	x	x	-	-	(x)	x
07 03 02	Rural driving	x	X	X	(x)	X	X	x	(x)	-	x	x	x	-	x	x	x	x	-	-	(x)	x
07 03 03	Urban driving	x	X	X	(x)	X	X	x	(x)	-	x	x	x	-	x	x	x	x	-	-	(x)	x
07 04	<b>Mopeds and Motorcycles &lt; 50 cm3</b>	(x)	(x)	X	(x)	x	x	(x)	(x)	-	x	x	x	-	x	x	x	x	-	-	(x)	x
07 05	<b>Motorcycles &gt; 50 cm3</b>																					
07 05 01	Highway driving	(x)	(x)	x	(x)	x	(x)	(x)	(x)	-	x	x	x	-	x	x	x	x	-	-	(x)	x
07 05 02	Rural driving	(x)	(x)	x	(x)	x	x	(x)	(x)	-	x	x	x	-	x	x	x	x	-	-	(x)	x
07 05 03	Urban driving	(x)	(x)	x	(x)	x	x	(x)	(x)	-	x	x	x	-	x	x	x	x	-	-	(x)	x
07 06	<b>Gasoline evaporation from vehicles</b>	-	-	X	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
07 07	<b>Automobile tyre and brake wear</b>	-	-	-	-	-	-	-	-	-	x	x	x	-	x	-	-	x	-	-	-	-

M: > 10 % , X: > 1 % , x : > 0.1 % , (x) : < 0.1 % , - : generally not relevant

08	OTHER MOBILE SOURCES AND MACHINERY	ACIDIFYERS, OZONE PRECURSORS AND GREENHOUSE GASES										HEAVY METALS						PERSISTANT ORGANIC POLLUTANTS				
		SO <sub>x</sub>	NO <sub>x</sub>	NMVOG	CH <sub>4</sub>	CO	CO <sub>2</sub>	N <sub>2</sub> O	NH <sub>3</sub>	As	Cd	Cr	Cu	Hg	Ni	Pb	Se	Zn	TRI	PER	DIOX	PAH
08 01	<b>Military</b>	(x)	x	x	(x)	x	x	(x)	-	-	x	x	x	-	x	x	x	x	-	-	(x)	x
08 02	<b>Railways</b>																				(x)	x
08 02 01	Shunting locs	(x)	x	(x)	(x)	(x)	x	(x)	-	-	x	x	x	-	x	x	x	x	-	-	(x)	x
08 02 02	Rail-cars	(x)	x	(x)	(x)	(x)	x	(x)	-	-	x	x	x	-	x	x	x	x	-	-	(x)	x
08 02 03	Locomotives	(x)	x	(x)	(x)	(x)	x	(x)	-	-	x	x	x	-	x	x	x	x	-	-	(x)	x
08 03	<b>Inland waterways</b>																				(x)	x
08 03 01	Sailing boats with auxiliary engines	(x)	x	(x)	(x)	(x)	(x)	(x)	-	-	x	x	x	-	x	x	x	x	-	-	(x)	x
08 03 02	Motorboats / work boats	(x)	x	(x)	(x)	(x)	(x)	(x)	-	-	x	x	x	-	x	x	x	x	-	-	(x)	x
08 03 03	Personal water craft	(x)	x	(x)	(x)	(x)	(x)	(x)	-	-	x	x	x	-	x	x	x	x	-	-	(x)	x
08 03 04	Inland goods carrying vessels	(x)	x	(x)	(x)	(x)	(x)	(x)	-	-	x	x	x	-	x	x	x	x	-	-	(x)	x
08 04	<b>Maritime activities</b>																					
08 04 02	National sea traffic within EMEP area	x	<b>X</b>	x	(x)	x	x	x	-	-	x	x	x	-	x	x	x	x	-	-	(x)	x
08 04 03	National fishing	x	x	(x)	(x)	(x)	x	(x)	-	-	x	x	x	-	x	x	x	x	-	-	(x)	x
08 04 04	International sea traffic (international bunkers)	x	x	x	x	x	x	x	-	-	x	x	x	-	x	x	x	x	-	-	(x)	x
08 05	<b>Air traffic</b>																				(x)	x
08 05 01	Domestic airport traffic (LTO cycles - < 1000 m)	(x)	x	x	(x)	x	x	(x)	(x)	-	x	x	x	-	x	x	x	x	-	-	(x)	x
08 05 02	International airport traffic (LTO cycles - <1000 m)	(x)	x	x	(x)	x	x	(x)	(x)	-	x	x	x	-	x	x	x	x	-	-	(x)	x
08 05 03	Domestic cruise traffic (>1000 m)	x	x	x	x	x	x	x	x	-	x	x	x	-	x	x	x	x	-	-	(x)	x
08 05 04	International cruise traffic (>1000 m)	x	x	x	x	x	x	x	x	-	x	x	x	-	x	x	x	x	-	-	(x)	x
08 06	<b>Agriculture</b>	x	<b>X</b>	<b>X</b>	(x)	<b>X</b>	<b>X</b>	x	-	-	x	x	x	-	x	x	x	x	-	-	(x)	x
08 07	<b>Forestry</b>	(x)	x	x	(x)	(x)	(x)	(x)	-	-	x	x	x	-	x	x	x	x	-	-	(x)	x
08 08	<b>Industry</b>	x	<b>X</b>	x	(x)	x	x	x	-	-	x	x	x	-	x	x	x	x	-	-	(x)	x
08 09	<b>Household and gardening</b>	(x)	x	x	(x)	x	(x)	(x)	-	-	x	x	x	-	x	x	x	x	-	-	(x)	x
08 10	<b>Other off-road</b>	x	x	x	x	x	x	x	-	-	x	x	x	-	x	x	x	x	-	-	(x)	(x)

**M:** > 10 % , **X:** > 1 % , **x** : > 0.1 % , **(x)** : < 0.1 % , - : generally not relevant

09	WASTE TREATMENT AND DISPOSAL	ACIDIFYERS, OZONE PRECURSORS AND GREENHOUSE GASES								HEAVY METALS						PERSISTANT ORGANIC POLLUTANTS						
		SO <sub>x</sub>	NO <sub>x</sub>	NMVOC	CH <sub>4</sub>	CO	CO <sub>2</sub>	N <sub>2</sub> O	NH <sub>3</sub>	As	Cd	Cr	Cu	Hg	Ni	Pb	Se	Zn	TRI	PER	DIOX	PAH
09 02	<b>Waste incineration</b>																					
09 02 01	Incineration of domestic or municipal wastes	x	x	(x)	(x)	x	x	(x)	-	x	x	x	x	x	x	x	x	x	x	-	(x)	x
09 02 02	Incineration of industrial wastes (except flaring)	x	(x)	(x)	(x)	(x)	(x)	(x)	-	x	x	x	x	x	x	x	x	x	-	(x)	x	
09 02 03	Flaring in oil refinery	x	x	(x)	(x)	(x)	(x)	(x)	-	-	-	-	-	-	-	-	-	-	-	-	(x)	x
09 02 04	Flaring in chemical industries	(x)	(x)	(x)	(x)	(x)	(x)	(x)	-	-	-	-	-	-	-	-	-	-	-	-	(x)	x
09 02 05	Incineration of sludge from waste water treatment	(x)	(x)	(x)	(x)	(x)	(x)	(x)	-	x	x	x	x	x	x	-	x	-	x	(x)	x	x
09 02 06	Flaring in gas and oil extraction	(x)	(x)	(x)	(x)	(x)	(x)	(x)	-	-	-	-	-	-	-	-	-	-	-	-	(x)	x
09 02 07	Incineration of hospital wastes	(x)	(x)	(x)	(x)	(x)	(x)	(x)	-	x	x	x	x	x	x	-	x	x	x	(x)	x	x
09 02 08	Incineration of waste oil	(x)	(x)	(x)	(x)	(x)	(x)	(x)	-	x	x	x	x	x	x	-	x	x	x	(x)	x	x
09 07	<b>Open burning of agricultural wastes (except 10.03)</b>	(x)	x	<b>X</b>	x	<b>X</b>	x	x	(x)	-	-	-	-	-	-	-	-	-	-	-	-	x
09 09	<b>Cremation</b>																					
09 09 01	Incineration of corpses	x	x	x	x	x	x	x	-	-	-	-	x	-	-	-	-	-	-	-	-	x
09 09 02	Incineration of carcasses	x	x	x	x	x	x	x	-	-	-	-	x	-	-	-	-	-	-	-	-	x
09 10	<b>Other waste treatment</b>																					
09 10 01	Waste water treatment in industry	-	-	x	x	-	(x)	x	x	-	-	-	-	-	-	-	-	-	x	-	(x)	-
09 10 02	Waste water treatment in residential/commercial sect.	-	-	x	x	-	x	x	x	-	-	-	-	-	-	-	-	-	x	-	(x)	-
09 10 03	Sludge spreading	-	-	x	x	-	-	(x)	x	-	-	-	-	-	-	-	-	-	-	-	(x)	-
09 10 04	Land filling	-	x	x	<b>M</b>	x	x	-	<b>X</b>	-	-	-	-	-	-	-	-	x	-	(x)	(x)	-
09 10 05	Compost production from waste	-	-	(x)	x	-	x	-	(x)	-	-	-	-	-	-	-	-	x	-	(x)	-	-
09 10 06	Biogas production	-	-	(x)	x	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	(x)
09 10 07	Latrines	-	-	-	-	-	-	-	x	-	-	-	-	-	-	-	-	-	-	-	-	-
09 10 08	Refuse Derived Fuel production	(x)	(x)	(x)	(x)	(x)	(x)	(x)	-	(x)	(x)	(x)	(x)	(x)	(x)	(x)	(x)	(x)	-	-	-	(x)

**M:** > 10 % , **X:** > 1 % , **x :** > 0.1 % , **(x) :** < 0.1 % , - : generally not relevant

10	AGRICULTURE AND FORESTRY, LAND USE AND WOOD STOCK CHANGE	ACIDIFIERS, OZONE PRECURSORS AND GREENHOUSE GASES							HEAVY METALS							PERSISTANT ORGANIC POLLUTANTS						
		SO <sub>x</sub>	NO <sub>x</sub>	NMVOC	CH <sub>4</sub>	CO	CO <sub>2</sub>	N <sub>2</sub> O	NH <sub>3</sub>	As	Cd	Cr	Cu	Hg	Ni	Pb	Se	Zn	TRI	PER	DIOX	PAH
10 01	<b>Cultures with fertilizers (except animal manure)</b>																					
10 01 01	Permanent crops	-	-	x	X	-	-	X	X	-	-	-	-	-	-	-	-	-	-	-	-	-
10 01 02	Arable land crops	-	-	x	x	-	-	M	M	-	-	-	-	-	-	-	-	-	-	-	-	-
10 01 03	Rice field	-	-	(x)	x	-	-	x	x	-	-	-	-	-	-	-	-	-	-	-	-	-
10 01 04	Market gardening	-	-	(x)	x	-	-	x	x	-	-	-	-	-	-	-	-	-	-	-	-	-
10 01 05	Grassland	-	-	x	x	-	-	X	X	-	-	-	-	-	-	-	-	-	-	-	-	-
10 01 06	Fallow	-	-	-	(x)	-	-	x	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10 02	<b>Cultures without fertilizers</b>																					
10 02 01	Permanent crops	-	-	x	(x)	-	-	x	(x)	-	-	-	-	-	-	-	-	-	-	-	-	-
10 02 02	Arable land crops	-	-	(x)	(x)	-	-	x	(x)	-	-	-	-	-	-	-	-	-	-	-	-	-
10 02 03	Rice field	-	-	(x)	x	-	-	x	(x)	-	-	-	-	-	-	-	-	-	-	-	-	-
10 02 04	Market gardening	-	-	(x)	(x)	-	-	x	x	-	-	-	-	-	-	-	-	-	-	-	-	-
10 02 05	Grassland	-	-	x	(x)	-	-	X	(x)	-	-	-	-	-	-	-	-	-	-	-	-	-
10 02 06	Fallow	-	-	-	(x)	-	-	x	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10 03	<b>On-field burning of stubble, straw,...</b>	-	x	x	x	x	x	-	(x)	-	-	-	-	-	-	-	-	-	-	-	-	x
10 04	<b>Enteric fermentation</b>																					
10 04 01	Dairy cows	-	-	-	X	-	-	-	x	-	-	-	-	-	-	-	-	-	-	-	-	-
10 04 02	Other cattle	-	-	-	X	-	-	-	x	-	-	-	-	-	-	-	-	-	-	-	-	-
10 04 03	Ovines	-	-	-	X	-	-	-	x	-	-	-	-	-	-	-	-	-	-	-	-	-
10 04 04	Fattening pigs	-	-	-	x	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10 04 05	Horses	-	-	-	x	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10 04 06	Mules and asses	-	-	-	x	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10 04 07	Goats	-	-	-	x	-	-	-	(x)	-	-	-	-	-	-	-	-	-	-	-	-	-
10 04 08	Laying hens	-	-	-	x	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10 04 09	Broilers	-	-	-	x	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10 04 10	Other poultry (ducks, geese, etc.)	-	-	-	x	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10 04 11	Fur animals	-	-	-	x	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10 04 12	Sows	-	-	-	x	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10 04 13	Camels	-	-	-	x	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10 04 14	Buffalo	-	-	-	x	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10 04 15	Other	-	-	-	x	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10 05	<b>Manure management</b>																					
10 05 01	Dairy cows	-	-	x	X	-	-	x	M	-	-	-	-	-	-	-	-	-	-	-	-	-
10 05 02	Other cattle	-	-	x	X	-	-	x	M	-	-	-	-	-	-	-	-	-	-	-	-	-
10 05 03	Fattening pigs	-	-	X	X	-	-	x	M	-	-	-	-	-	-	-	-	-	-	-	-	-
10 05 04	Sows	-	-	x	x	-	-	(x)	X	-	-	-	-	-	-	-	-	-	-	-	-	-
10 05 05	Ovines	-	-	x	x	-	-	x	X	-	-	-	-	-	-	-	-	-	-	-	-	-
10 05 06	Horses	-	-	x	x	-	-	-	X	-	-	-	-	-	-	-	-	-	-	-	-	-
10 05 07	Laying hens	-	-	x	x	-	-	-	X	-	-	-	-	-	-	-	-	-	-	-	-	-
10 05 08	Broilers	-	-	x	x	-	-	-	X	-	-	-	-	-	-	-	-	-	-	-	-	-

10 05 09	Other poultry (ducks, geese, etc.)	-	-	x	x	-	-	-	x	-	-	-	-	-	-	-	-	-	-	-	-
10 05 10	Fur animals	-	-	x	x	-	-	-	x	-	-	-	-	-	-	-	-	-	-	-	-
10 05 11	Goats	-	-	x	x	-	-	-	x	-	-	-	-	-	-	-	-	-	-	-	-
10 05 12	Mules and asses	-	-	x	x	-	-	-	x	-	-	-	-	-	-	-	-	-	-	-	-
10 05 13	Camels	-	-	x	x	-	-	-	x	-	-	-	-	-	-	-	-	-	-	-	-
10 05 14	Buffalo	-	-	x	x	-	-	-	x	-	-	-	-	-	-	-	-	-	-	-	-
10 05 15	Other	-	-	x	x	-	-	-	x	-	-	-	-	-	-	-	-	-	-	-	-
10 06	<b>Use of pesticides</b>	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	(x)	-
10 07	<b>Managed deciduous forests</b>																				
10 07 01	High isoprene emitters	-	-	X	x	-	-	X	-	-	-	-	-	-	-	-	-	-	-	-	-
10 07 02	Low isoprene emitters	-	-	x	(x)	-	-	x	-	-	-	-	-	-	-	-	-	-	-	-	-
10 07 03	Non isoprene emitters	-	-	X	x	-	-	X	-	-	-	-	-	-	-	-	-	-	-	-	-
10 08	<b>Managed coniferous forests</b>	-	-	M	x	-	-	X	x	-	-	-	-	-	-	-	-	-	-	-	-
10 11	<b>LUWC-Wood biomass stock change /annual growth</b>																				
10 11 01	Tropical forests/Plantations	-	-	-	-	-	u	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10 11 02	Tropical forests/Other managed forests	-	-	-	-	-	u	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10 11 03	Tropical forests/Other	-	-	-	-	-	u	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10 11 04	Temperate forests/Plantations	-	-	-	-	-	u	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10 11 05	Temperate forests/Commercial	-	-	-	-	-	u	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10 11 06	Temperate forests/Other	-	-	-	-	-	u	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10 11 07	Boreal forests	-	-	-	-	-	u	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10 11 08	Other ecosystem types	-	-	-	-	-	u	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10 11 09	Non-forest trees	-	-	-	-	-	u	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10 12	<b>LUWC-Wood Biomass stock change /annual harvest</b>																				
10 12 01	Biomass in commercial harvest	-	-	-	-	-	x	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10 12 02	Traditional fuel wood consumed	-	-	-	-	-	x	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10 12 03	Other wood use	-	-	-	-	-	x	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10 13	<b>LUWC-Conversion /Burning aboveground biomass</b>																				
10 13 01	Tropical forests on site	-	x	x	x	x	x	x	-	-	-	-	-	-	-	-	-	-	-	-	-
10 13 02	Tropical forests off site	-	-	-	-	-	x	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10 13 03	Temperate forests on site	-	x	x	x	x	x	x	-	-	-	-	-	-	-	-	-	-	-	-	-
10 13 04	Temperate forests off site	-	-	-	-	-	x	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10 13 05	Boreal forests on site	-	x	x	x	x	x	x	-	-	-	-	-	-	-	-	-	-	-	-	-
10 13 06	Boreal forests off site	-	-	-	-	-	x	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10 13 07	Grassland on site	-	x	x	x	x	x	x	-	-	-	-	-	-	-	-	-	-	-	-	-
10 13 08	Grassland off site	-	-	-	-	-	x	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10 13 09	Other on site	-	x	x	x	x	x	x	-	-	-	-	-	-	-	-	-	-	-	-	-
10 13 10	Other off site	-	-	-	-	-	x	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10 14	<b>LUWC-Conversion /Aboveground biomass decay</b>																				
10 14 01	Tropical forests	-	-	-	-	-	x	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10 14 02	Temperate forests	-	-	-	-	-	x	-	-	-	-	-	-	-	-	-	-	-	-	-	-

10 14 03	Boreal forests	-	-	-	-	-	x	-	-	-	-	-	-	-	-	-	-	-	-	-
10 14 04	Grassland	-	-	-	-	-	x	-	-	-	-	-	-	-	-	-	-	-	-	-
10 14 05	Other	-	-	-	-	-	x	-	-	-	-	-	-	-	-	-	-	-	-	-
10 15	<b>LUWC-Conversion /Soil carbon release</b>																			
10 15 01	Tropical forests	-	-	-	-	-	x	-	-	-	-	-	-	-	-	-	-	-	-	-
10 15 02	Temperate forests	-	-	-	-	-	x	-	-	-	-	-	-	-	-	-	-	-	-	-
10 15 03	Boreal forests	-	-	-	-	-	x	-	-	-	-	-	-	-	-	-	-	-	-	-
10 15 04	Grassland	-	-	-	-	-	x	-	-	-	-	-	-	-	-	-	-	-	-	-
10 15 05	Other	-	-	-	-	-	x	-	-	-	-	-	-	-	-	-	-	-	-	-
10 16	<b>LUWC-Managed land abandonment &lt; 20 years / Aboveground biomass carbon uptake</b>																			
10 16 01	Tropical forests	-	-	-	-	-	u	-	-	-	-	-	-	-	-	-	-	-	-	-
10 16 02	Temperate forests	-	-	-	-	-	u	-	-	-	-	-	-	-	-	-	-	-	-	-
10 16 03	Boreal forests	-	-	-	-	-	u	-	-	-	-	-	-	-	-	-	-	-	-	-
10 16 04	Grassland	-	-	-	-	-	u	-	-	-	-	-	-	-	-	-	-	-	-	-
10 16 05	Other	-	-	-	-	-	u	-	-	-	-	-	-	-	-	-	-	-	-	-
10 17	<b>LUWC-Managed land abandonment &lt; 20years / Soil carbon uptake</b>																			
10 17 01	Tropical forests	-	-	-	-	-	u	-	-	-	-	-	-	-	-	-	-	-	-	-
10 17 02	Temperate forests	-	-	-	-	-	u	-	-	-	-	-	-	-	-	-	-	-	-	-
10 17 03	Boreal forests	-	-	-	-	-	u	-	-	-	-	-	-	-	-	-	-	-	-	-
10 17 04	Grassland	-	-	-	-	-	u	-	-	-	-	-	-	-	-	-	-	-	-	-
10 17 05	Other	-	-	-	-	-	u	-	-	-	-	-	-	-	-	-	-	-	-	-
10 18	<b>LUWC-Managed land abandonment &gt;20years / Aboveground biomass carbon uptake</b>																			
10 18 01	Tropical forests	-	-	-	-	-	u	-	-	-	-	-	-	-	-	-	-	-	-	-
10 18 02	Temperate forests	-	-	-	-	-	u	-	-	-	-	-	-	-	-	-	-	-	-	-
10 18 03	Boreal forests	-	-	-	-	-	u	-	-	-	-	-	-	-	-	-	-	-	-	-
10 18 04	Grassland	-	-	-	-	-	u	-	-	-	-	-	-	-	-	-	-	-	-	-
10 18 05	Other	-	-	-	-	-	u	-	-	-	-	-	-	-	-	-	-	-	-	-
10 19	<b>LUWC-Managed land abandonment &gt; 20years / Soil carbon uptake</b>																			
10 19 01	Tropical forests	-	-	-	-	-	u	-	-	-	-	-	-	-	-	-	-	-	-	-
10 19 02	Temperate forests	-	-	-	-	-	u	-	-	-	-	-	-	-	-	-	-	-	-	-
10 19 03	Boreal forests	-	-	-	-	-	u	-	-	-	-	-	-	-	-	-	-	-	-	-
10 19 04	Grassland	-	-	-	-	-	u	-	-	-	-	-	-	-	-	-	-	-	-	-
10 19 05	Other	-	-	-	-	-	u	-	-	-	-	-	-	-	-	-	-	-	-	-

**M:** > 10 % , **X:** > 1 % , **x :** > 0.1 % , **(x) :** < 0.1 % , **- :** generally not relevant

11	NATURE	ACIDIFYERS, OZONE PRECURSORS AND GREENHOUSE GASES								HEAVY METALS							PERSISTANT ORGANIC POLLUTANTS					
		SO <sub>x</sub>	NO <sub>x</sub>	NMVOC	CH <sub>4</sub>	CO	CO <sub>2</sub>	N <sub>2</sub> O	NH <sub>3</sub>	As	Cd	Cr	Cu	Hg	Ni	Pb	Se	Zn	TRI	PER	DIOX	PAH
11 01	<b>Non-managed deciduous forests</b>																					
11 01 01	High isoprene emitters	-	-	X	x	-	-	X	-	-	-	-	-	-	-	-	-	-	-	-	-	-
11 01 02	Low isoprene emitters	-	-	x	(x)	-	-	x	-	-	-	-	-	-	-	-	-	-	-	-	-	-
11 01 03	Non isoprene emitters	-	-	X	x	-	-	X	-	-	-	-	-	-	-	-	-	-	-	-	-	-
11 02	<b>Non-managed coniferous forests</b>	-	-	M	x	-	-	X	x	-	-	-	-	-	-	-	-	-	-	-	-	-
11 03	<b>Forest fires</b>	(x)	x	x	x	X	-	-	(x)	-	-	-	-	-	-	-	-	-	-	-	x	x
11 04	<b>Natural grassland</b>	-	-	x	x	-	-	X	x	-	-	-	-	-	-	-	-	-	-	-	-	-
11 05	<b>Wetlands (marshes swamps)</b>																					
11 05 01	Underdrained and brackish marshes	-	-	-	X	-	-	x	(x)	-	-	-	-	-	-	-	-	-	-	-	-	x
11 05 02	Drained marshes	-	-	-	x	-	-	x	(x)	-	-	-	-	-	-	-	-	-	-	-	-	x
11 05 03	Raised bogs	-	-	-	x	-	-	x	(x)	-	-	-	-	-	-	-	-	-	-	-	-	x
11 06	<b>Waters</b>																					
11 06 01	Lakes	-	-	-	M	-	-	x	-	-	-	-	-	-	-	-	-	-	-	-	-	-
11 06 02	Shallow saltwater	-	-	-	x	-	-	x	-	-	-	-	-	-	-	-	-	-	-	-	-	-
11 06 03	Ground waters	-	-	-	x	-	-	x	-	-	-	-	-	-	-	-	-	-	-	-	-	-
11 06 04	Drainage waters	-	-	-	x	-	-	x	-	-	-	-	-	-	-	-	-	-	-	-	-	-
11 06 05	Rivers	-	-	-	x	-	-	x	-	-	-	-	-	-	-	-	-	-	-	-	-	-
11 06 06	Ditches and canals	-	-	-	x	-	-	x	-	-	-	-	-	-	-	-	-	-	-	-	-	-
11 06 07	Open sea (> 6m)	-	-	-	x	-	-	X	-	-	-	-	-	-	-	-	-	-	-	-	-	-
11 07	<b>Animals</b>																					
11 07 01	Termites	-	-	-	x	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
11 07 02	Mammals	-	-	-	x	-	-	-	x	-	-	-	-	-	-	-	-	-	-	-	-	-
11 08	<b>Volcanoes</b>	X	x	x	x	x	x	-	(x)	(x)	(x)	(x)	(x)	(x)	(x)	(x)	(x)	(x)	-	-	-	x
11 09	<b>Near-surface deposits</b>	-	-	-	x	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

M: > 10 % , X: > 1 % , x : > 0.1 % , (x) : < 0.1 % , - : generally not relevant

## Appendix 2

LPS	Name	Longitude	Latitude	Thermal capacity [MW]
1	Amagervaerket	12.63 - E	55.69 - N	968
2	Svanemoellevaerket	12.59 - E	55.71 - N	634
3	H.C.Oerstedsvaerket	12.56 - E	55.66 - N	1166
4	Kyndbyvaerket	11.88 - E	55.81 - N	2136
5	Masnedoevaerket	11.89 - E	55.00 - N	205
6	Q8 Raffinaderi	11.25 - E	55.21 - N	0
7	Stigsnaesvaerket	11.25 - E	55.21 - N	746
8	Asnaesvaerket	11.09 - E	55.66 - N	2658
9	Statoil Raffinaderi	11.10 - E	55.66 - N	10
10	Avedoerevaerket	12.48 - E	55.60 - N	615
11	Fynsvaerket	10.41 - E	55.43 - N	1588
12	Studstrupvaerket	10.35 - E	56.25 - N	2693
14	Vendsysselvaerket	9.98 - E	57.09 - N	1080
15	Aalborgvaerket	9.93 - E	57.05 - N	690
16	Kemira Danmark	9.76 - E	55.56 - N	0
17	Shell Raffinaderi	9.75 - E	55.59 - N	10
18	Skaerbaekvaerket	9.62 - E	55.51 - N	916
19	Enstedvaerket	9.44 - E	55.02 - N	1124
20	Esbjergvaerket	8.45 - E	55.46 - N	1779
21	Kastrup Lufthavn	12.66 - E	55.62 - N	0
22	Oestkraft	14.70 - E	55.09 - N	226
23	Danisco Ingredients	-	-	60
24	Dansk Naturgas Behandlingsanlaeg	-	-	-1
25	Horsens Kraftvarmevaerk	9.86 - E	55.85 - N	93
26	Herningvaerket	-	-	300
27	Vestforbraendingen	12.42 - E	55.71 - N	88
28	Amagerforbraendingen	12.62 - E	55.68 - N	87
29	Randersvaerket	10.05 - E	56.46 - N	178
30	Grenaavaerket	10.91 - E	56.42 - N	88
31	Hilleroedvaerket	-	-	150
32	Helsingoeruvaerket	-	-	125
33	Staalvalsevaerket	12.02 - E	55.96 - N	60
34	Stora Dalum	-	-	90
35	Assens Sukkerfabrik	-	-	98
36	Kolding Kraftvarmevaerk	9.47 - E	55.49 - N	50
37	Maabjergvaerket	8.62 - E	56.37 - N	90
38	Soenderborg Kraftvarmevaerk	-	-	130
39	Kara Affaldsforbraendingsanlaeg	12.12 - E	55.64 - N	50
40	Viborg Kraftvarmevaerk	-	-	148
41	Skive Fjernvarmeanlaeg	9.03 - E	56.56 - N	83
42	Nordforbraendingen	12.49 - E	55.90 - N	26
43	Goerlev Sukkerfabrik	-	-	73
44	Frederiksberg Varmevaerk	12.52 - E	55.68 - N	240
45	Aalborg Portland	9.98 - E	57.06 - N	0
46	Aarhus Nord	-	-	59
47	Reno Nord	-	-	52
48	Silkeborg Kraftvarmevaerk	-	-	216

## Appendix 3

**Summary table of annual national emissions 1975**

SNAP code	Category	SO <sub>2</sub> [tonnes]	NO <sub>x</sub> [tonnes]	NMVOC [tonnes]	CH <sub>4</sub> [tonnes]	CO [tonnes]	CO <sub>2</sub> [ktonnes]	N <sub>2</sub> O [tonnes]	NH <sub>3</sub> [tonnes]
1	Combustion in energy and transformation industries	259252	65026	756	729	4346	20393	589	0
2	Non-industrial combustion plants	68183	12955	1983	2154	21726	14449	390	0
3	Combustion in manufacturing industry	73687	14018	1590	516	8861	7162	203	0
4	Production processes	0	0	0	0	0	0	0	0
5	Extraction and distrib. of fossil fuels / geothermal energy	0	0	3314	8451	0	0	0	0
6	Solvent and other product use	0	0	0	0	0	0	0	0
7	Road transport	3777	61022	80593	1450	679862	6135	209	0
8	Other mobile sources and machinery	15564	64283	14769	823	68392	4020	183	1
9	Waste treatment and disposal	0	769	218	34650	499	142	3	0
10	Agriculture and forestry, land use and wood stock change	734	1469	30744	401730	293770	0	9082	119561
11	Nature	0	0	0	354238	0	0	5475	0
	<b>Total</b>	<b>421197</b>	<b>219542</b>	<b>133967</b>	<b>804741</b>	<b>1077456</b>	<b>52301</b>	<b>16134</b>	<b>119562</b>

### Summary table of annual national emissions 1976

SNAP code	Category	SO <sub>2</sub>	NO <sub>x</sub>	NMVOC	CH <sub>4</sub>	CO	CO <sub>2</sub>	N <sub>2</sub> O	NH <sub>3</sub>
		[tonnes]	[tonnes]	[tonnes]	[tonnes]	[tonnes]	[ktonnes]	[tonnes]	[tonnes]
1	Combustion in energy and transformation industries	271102	75368	782	752	4605	22662	669	0
2	Non-industrial combustion plants	76401	14480	1963	2250	20617	16279	439	0
3	Combustion in manufacturing industry	80674	15253	1537	570	8552	7835	222	0
4	Production processes	0	0	0	0	0	0	0	0
5	Extraction and distrib. of fossil fuels / geothermal energy	0	0	3314	8451	0	0	0	0
6	Solvent and other product use	0	0	0	0	0	0	0	0
7	Road transport	4629	65408	84677	1518	713702	6594	231	0
8	Other mobile sources and machinery	15954	65172	13750	711	61578	4104	186	1
9	Waste treatment and disposal	0	877	248	37115	569	162	3	0
10	Agriculture and forestry, land use and wood stock change	460	920	23324	400512	184005	0	9049	119911
11	Nature	0	0	0	354238	0	0	5475	0
	<b>Total</b>	<b>449220</b>	<b>237478</b>	<b>129595</b>	<b>806117</b>	<b>993628</b>	<b>57636</b>	<b>16274</b>	<b>119912</b>

### Summary table of annual national emissions 1977

SNAP code	Category	SO <sub>2</sub>	NO <sub>x</sub>	NMVOC	CH <sub>4</sub>	CO	CO <sub>2</sub>	N <sub>2</sub> O	NH <sub>3</sub>
		[tonnes]	[tonnes]	[tonnes]	[tonnes]	[tonnes]	[ktonnes]	[tonnes]	[tonnes]
1	Combustion in energy and transformation industries	285610	82048	818	788	4818	24382	721	0
2	Non-industrial combustion plants	76587	14309	1841	2141	16130	15867	428	0
3	Combustion in manufacturing industry	79807	15582	1464	618	8164	8030	230	0
4	Production processes	0	0	0	0	0	0	0	0
5	Extraction and distrib. of fossil fuels / geothermal energy	0	0	3314	8451	0	0	0	0
6	Solvent and other product use	0	0	0	0	0	0	0	0
7	Road transport	5011	68007	86410	1561	726532	6837	240	0
8	Other mobile sources and machinery	15188	63564	13205	686	58586	4014	179	1
9	Waste treatment and disposal	0	2059	583	40259	1337	380	7	0
10	Agriculture and forestry, land use and wood stock change	424	848	22353	401965	169650	0	9045	120495
11	Nature	0	0	0	354238	0	0	5475	0
	<b>Total</b>	<b>462627</b>	<b>246417</b>	<b>129988</b>	<b>810707</b>	<b>985217</b>	<b>59510</b>	<b>16325</b>	<b>120496</b>

### Summary table of annual national emissions 1978

SNAP code	Category	SO <sub>2</sub>	NO <sub>x</sub>	NMVOC	CH <sub>4</sub>	CO	CO <sub>2</sub>	N <sub>2</sub> O	NH <sub>3</sub>
		[tonnes]	[tonnes]	[tonnes]	[tonnes]	[tonnes]	[ktonnes]	[tonnes]	[tonnes]
1	Combustion in energy and transformation industries	258337	81427	762	732	4590	23711	712	0
2	Non-industrial combustion plants	74599	14107	2528	2609	25029	15838	432	0
3	Combustion in manufacturing industry	80856	16185	1501	653	8371	8381	241	0
4	Production processes	0	0	0	0	0	0	0	0
5	Extraction and distrib. Of fossil fuels / geothermal energy	0	0	3314	8451	0	0	0	0
6	Solvent and other product use	0	0	0	0	0	0	0	0
7	Road transport	6657	74896	89923	1638	751923	7521	269	0
8	Other mobile sources and machinery	15240	63329	13067	662	57748	4002	179	1
9	Waste treatment and disposal	0	1882	533	42799	1222	348	6	0
10	Agriculture and forestry, land use and wood stock change	513	1025	24745	410454	205030	0	9055	123052
11	Nature	0	0	0	354238	0	0	5475	0
	<b>Total</b>	<b>436202</b>	<b>252851</b>	<b>136373</b>	<b>822236</b>	<b>1053913</b>	<b>59801</b>	<b>16369</b>	<b>123053</b>

### Summary table of annual national emissions 1979

SNAP code	Category	SO <sub>2</sub>	NO <sub>x</sub>	NMVOC	CH <sub>4</sub>	CO	CO <sub>2</sub>	N <sub>2</sub> O	NH <sub>3</sub>
		[tonnes]	[tonnes]	[tonnes]	[tonnes]	[tonnes]	[ktonnes]	[tonnes]	[tonnes]
1	Combustion in energy and transformation industries	273520	91891	803	769	4946	26116	793	0
2	Non-industrial combustion plants	77387	14841	4076	3679	45371	16468	457	0
3	Combustion in manufacturing industry	83903	16435	1366	665	7620	8514	244	0
4	Production processes	0	0	0	0	0	967	0	0
5	Extraction and distrib. Of fossil fuels / geothermal energy	0	0	3314	8451	0	0	0	0
6	Solvent and other product use	0	0	0	0	0	0	0	0
7	Road transport	7264	73784	85349	1564	710975	7404	268	0
8	Other mobile sources and machinery	14603	62651	12832	648	55984	4103	178	1
9	Waste treatment and disposal	0	1920	544	45552	1247	355	6	0
10	Agriculture and forestry, land use and wood stock change	387	774	21353	410397	154860	0	9040	124339
11	Nature	0	0	0	354238	0	0	5475	0
	<b>Total</b>	<b>457064</b>	<b>262296</b>	<b>129637</b>	<b>825963</b>	<b>981003</b>	<b>63927</b>	<b>16461</b>	<b>124340</b>

### Summary table of annual national emissions 1980

SNAP code	Category	SO <sub>2</sub>	NO <sub>x</sub>	NMVOC	CH <sub>4</sub>	CO	CO <sub>2</sub>	N <sub>2</sub> O	NH <sub>3</sub>
		[tonnes]	[tonnes]	[tonnes]	[tonnes]	[tonnes]	[ktonnes]	[tonnes]	[tonnes]
1	Combustion in energy and transformation industries	283492	112593	795	759	5157	29981	935	0
2	Non-industrial combustion plants	66733	13057	6330	4979	67176	13355	388	0
3	Combustion in manufacturing industry	80168	15342	1095	603	6156	7968	228	0
4	Production processes	0	0	0	0	0	879	0	0
5	Extraction and distrib. of fossil fuels / geothermal energy	0	0	7491	13896	33932	0	0	0
6	Solvent and other product use	0	0	0	0	0	0	0	0
7	Road transport	6976	69605	78668	1477	656468	6963	253	0
8	Other mobile sources and machinery	14432	61044	11799	567	49859	3803	171	1
9	Waste treatment and disposal	0	876	248	47830	569	162	3	0
10	Agriculture and forestry, land use and wood stock change	343	685	20147	408521	137025	0	9035	124777
11	Nature	0	0	0	354238	0	0	5475	0
Total		452144	273202	126573	832870	956342	63111	16488	124778

### Summary table of annual national emissions 1981

SNAP code	Category	SO <sub>2</sub>	NO <sub>x</sub>	NMVOC	CH <sub>4</sub>	CO	CO <sub>2</sub>	N <sub>2</sub> O	NH <sub>3</sub>
		[tonnes]	[tonnes]	[tonnes]	[tonnes]	[tonnes]	[ktonnes]	[tonnes]	[tonnes]
1	Combustion in energy and transformation industries	223651	87707	680	648	4505	23452	743	0
2	Non-industrial combustion plants	60362	12081	8155	6086	85366	11635	354	0
3	Combustion in manufacturing industry	65292	12598	923	499	5218	6481	189	0
4	Production processes	0	0	0	0	0	751	0	0
5	Extraction and distrib. of fossil fuels / geothermal energy	0	0	7239	13842	36329	0	0	0
6	Solvent and other product use	0	0	0	0	0	0	0	0
7	Road transport	6544	68062	76410	1438	623348	6590	239	0
8	Other mobile sources and machinery	13859	60098	11404	539	46934	3758	166	1
9	Waste treatment and disposal	0	1261	357	50946	819	233	4	0
10	Agriculture and forestry, land use and wood stock change	682	1363	29299	407227	272600	0	9063	122877
11	Nature	0	0	0	354238	0	0	5475	0
Total		370390	243170	134467	835463	1075119	52900	16233	122878

### Summary table of annual national emissions 1982

SNAP code	Category	SO <sub>2</sub>	NO <sub>x</sub>	NMVOC	CH <sub>4</sub>	CO	CO <sub>2</sub>	N <sub>2</sub> O	NH <sub>3</sub>
		[tonnes]	[tonnes]	[tonnes]	[tonnes]	[tonnes]	[ktonnes]	[tonnes]	[tonnes]
1	Combustion in energy and transformation industries	243436	103409	733	703	4935	26857	858	0
2	Non-industrial combustion plants	52803	10985	8864	6501	92696	10516	329	0
3	Combustion in manufacturing industry	58361	11542	739	461	4388	5902	175	0
4	Production processes	0	0	0	0	0	792	0	0
5	Extraction and distrib. of fossil fuels / geothermal energy	0	0	7165	13578	32245	0	0	0
6	Solvent and other product use	0	0	0	0	0	0	0	0
7	Road transport	7269	71586	76620	1447	601404	6793	249	0
8	Other mobile sources and machinery	16003	63553	11539	547	47047	3957	177	1
9	Waste treatment and disposal	0	1291	365	53956	838	238	4	0
10	Agriculture and forestry, land use and wood stock change	848	1696	33772	399780	339155	0	8991	120011
11	Nature	0	0	0	354238	0	0	5475	0
	<b>Total</b>	<b>378720</b>	<b>264062</b>	<b>139797</b>	<b>831211</b>	<b>1122708</b>	<b>55055</b>	<b>16258</b>	<b>120012</b>

### Summary table of annual national emissions 1983

SNAP code	Category	SO <sub>2</sub>	NO <sub>x</sub>	NMVOC	CH <sub>4</sub>	CO	CO <sub>2</sub>	N <sub>2</sub> O	NH <sub>3</sub>
		[tonnes]	[tonnes]	[tonnes]	[tonnes]	[tonnes]	[ktonnes]	[tonnes]	[tonnes]
1	Combustion in energy and transformation industries	196892	97285	745	712	5153	25496	825	0
2	Non-industrial combustion plants	47175	10153	8982	6538	90180	9669	307	0
3	Combustion in manufacturing industry	55589	11026	821	423	4879	5583	167	0
4	Production processes	0	0	0	0	0	816	0	0
5	Extraction and distrib. of fossil fuels / geothermal energy	0	0	7248	13041	28393	0	0	0
6	Solvent and other product use	0	0	0	0	0	0	0	0
7	Road transport	8040	74780	76266	1428	564946	7127	263	0
8	Other mobile sources and machinery	14670	61508	10019	422	38199	3814	170	1
9	Waste treatment and disposal	0	1188	336	56972	772	220	4	0
10	Agriculture and forestry, land use and wood stock change	545	1090	25576	392691	218080	0	8913	118973
11	Nature	0	0	0	354238	0	0	5475	0
	<b>Total</b>	<b>322911</b>	<b>257030</b>	<b>129993</b>	<b>826465</b>	<b>950602</b>	<b>52725</b>	<b>16124</b>	<b>118974</b>

### Summary table of annual national emissions 1984

SNAP code	Category	SO <sub>2</sub>	NO <sub>x</sub>	NMVOC	CH <sub>4</sub>	CO	CO <sub>2</sub>	N <sub>2</sub> O	NH <sub>3</sub>
		[tonnes]	[tonnes]	[tonnes]	[tonnes]	[tonnes]	[ktonnes]	[tonnes]	[tonnes]
1	Combustion in energy and transformation industries	175694	99755	825	791	5795	25884	842	0
2	Non-industrial combustion plants	46210	10145	9091	6569	87475	9192	295	0
3	Combustion in manufacturing industry	58371	12102	899	506	5349	6119	185	0
4	Production processes	0	0	0	0	0	935	0	0
5	Extraction and distrib. of fossil fuels / geothermal energy	0	0	7389	13394	32790	0	0	0
6	Solvent and other product use	0	0	0	0	0	0	0	0
7	Road transport	9890	82997	79288	1474	553378	7826	294	0
8	Other mobile sources and machinery	14477	62122	10114	423	38916	3757	170	1
9	Waste treatment and disposal	0	1490	422	60274	967	275	5	0
10	Agriculture and forestry, land use and wood stock change	839	1678	33516	380364	335675	0	8992	115418
11	Nature	0	0	0	354238	0	0	5475	0
	<b>Total</b>	<b>305481</b>	<b>270289</b>	<b>141544</b>	<b>818033</b>		<b>53988</b>	<b>16258</b>	<b>115419</b>

### Summary table of annual national emissions 1985

SNAP code	Category	SO <sub>2</sub>	NO <sub>x</sub>	NMVOC	CH <sub>4</sub>	CO	CO <sub>2</sub>	N <sub>2</sub> O	NH <sub>3</sub>
		[tonnes]	[tonnes]	[tonnes]	[tonnes]	[tonnes]	[ktonnes]	[tonnes]	[tonnes]
1	Combustion in energy and transformation industries	214568	122264	1031	1000	7217	31658	1021	0
2	Non-industrial combustion plants	46442	10896	9023	6618	86445	10590	331	0
3	Combustion in manufacturing industry	54369	12029	930	514	5497	6106	184	0
4	Production processes	0	0	0	0	0	894	0	0
5	Extraction and distrib. Of fossil fuels / geothermal energy	0	0	7490	14419	42499	0	0	0
6	Solvent and other product use	0	0	58469	0	0	105	0	0
7	Road transport	10304	86660	80641	1482	525251	8059	303	0
8	Other mobile sources and machinery	16405	63857	9790	384	36953	3739	175	1
9	Waste treatment and disposal	0	1699	481	63184	1103	314	6	0
10	Agriculture and forestry, land use and wood stock change	496	992	24212	365646	198360	0	8904	114949
11	Nature	0	0	0	354238	0	0	5475	0
	<b>Total</b>	<b>342584</b>	<b>298397</b>	<b>192067</b>	<b>807485</b>	<b>903325</b>	<b>61465</b>	<b>16399</b>	<b>114950</b>

### Summary table of annual national emissions 1986

SNAP code	Category	SO <sub>2</sub>	NO <sub>x</sub>	NMVOC	CH <sub>4</sub>	CO	CO <sub>2</sub>	N <sub>2</sub> O	NH <sub>3</sub>
		[tonnes]	[tonnes]	[tonnes]	[tonnes]	[tonnes]	[ktonnes]	[tonnes]	[tonnes]
1	Combustion in energy and transformation industries	197942	134188	1128	1077	7596	32012	1037	0
2	Non-industrial combustion plants	30949	10963	9150	6702	87946	10579	332	0
3	Combustion in manufacturing industry	39907	12737	1058	544	6263	6428	192	0
4	Production processes	0	0	0	0	0	1027	0	0
5	Extraction and distrib. of fossil fuels / geothermal energy	0	0	7300	13588	40781	0	0	0
6	Solvent and other product use	0	0	56828	0	0	100	0	0
7	Road transport	7113	92277	83272	1518	510913	8659	328	0
8	Other mobile sources and machinery	15471	66016	8763	297	30460	3783	181	1
9	Waste treatment and disposal	0	1996	565	65718	1296	369	6	0
10	Agriculture and forestry, land use and wood stock change	489	978	24009	357582	195605	0	8870	110625
11	Nature	0	0	0	354238	0	0	5475	0
	<b>Total</b>	<b>291871</b>	<b>319155</b>	<b>192073</b>	<b>801264</b>	<b>880860</b>	<b>62957</b>	<b>16421</b>	<b>110626</b>

### Summary table of annual national emissions 1987

SNAP code	Category	SO <sub>2</sub>	NO <sub>x</sub>	NMVOC	CH <sub>4</sub>	CO	CO <sub>2</sub>	N <sub>2</sub> O	NH <sub>3</sub>
		[tonnes]	[tonnes]	[tonnes]	[tonnes]	[tonnes]	[ktonnes]	[tonnes]	[tonnes]
1	Combustion in energy and transformation industries	176351	130388	1140	1093	7646	31075	1011	0
2	Non-industrial combustion plants	25341	9920	9620	6975	96034	9967	312	0
3	Combustion in manufacturing industry	33989	12025	1260	566	7161	5988	179	0
4	Production processes	0	0	0	0	0	983	0	0
5	Extraction and distrib. of fossil fuels / geothermal energy	0	0	7284	12608	40377	0	0	0
6	Solvent and other product use	0	0	55187	0	0	96	0	0
7	Road transport	7085	94422	86721	1566	513451	8640	327	0
8	Other mobile sources and machinery	15164	63270	8729	333	31067	3719	175	1
9	Waste treatment and disposal	0	1459	413	67420	948	270	5	0
10	Agriculture and forestry, land use and wood stock change	568	1135	26122	344882	227070	0	8830	107189
11	Nature	0	0	0	354238	0	0	5475	0
	<b>Total</b>	<b>258498</b>	<b>312619</b>	<b>196476</b>	<b>789681</b>	<b>923754</b>	<b>60738</b>	<b>16314</b>	<b>107190</b>

### Summary table of annual national emissions 1988

SNAP code	Category	SO <sub>2</sub>	NO <sub>x</sub>	NMVOC	CH <sub>4</sub>	CO	CO <sub>2</sub>	N <sub>2</sub> O	NH <sub>3</sub>
		[tonnes]	[tonnes]	[tonnes]	[tonnes]	[tonnes]	[ktonnes]	[tonnes]	[tonnes]
1	Combustion in energy and transformation industries	181741	121432	1138	1092	7648	29072	951	0
2	Non-industrial combustion plants	20340	8490	9214	6619	89200	8472	270	0
3	Combustion in manufacturing industry	30713	11167	1094	559	6037	5556	166	0
4	Production processes	0	0	0	0	0	1003	0	0
5	Extraction and distrib. of fossil fuels / geothermal energy	0	0	7317	11669	30988	0	0	0
6	Solvent and other product use	0	0	53546	0	0	91	0	0
7	Road transport	7072	96705	90094	1625	521735	8704	329	0
8	Other mobile sources and machinery	14065	62964	9092	336	33201	3590	172	1
9	Waste treatment and disposal	0	1523	431	69070	989	281	5	0
10	Agriculture and forestry, land use and wood stock change	503	1006	24373	335186	201115	0	8768	105146
11	Nature	0	0	0	354238	0	0	5475	0
	<b>Total</b>	<b>254434</b>	<b>303287</b>	<b>196299</b>	<b>780394</b>	<b>890913</b>	<b>56769</b>	<b>16136</b>	<b>105147</b>

### Summary table of annual national emissions 1989

SNAP code	Category	SO <sub>2</sub>	NO <sub>x</sub>	NMVOC	CH <sub>4</sub>	CO	CO <sub>2</sub>	N <sub>2</sub> O	NH <sub>3</sub>
		[tonnes]	[tonnes]	[tonnes]	[tonnes]	[tonnes]	[ktonnes]	[tonnes]	[tonnes]
1	Combustion in energy and transformation industries	145416	100024	1092	1028	7373	24174	806	0
2	Non-industrial combustion plants	12447	7432	8721	6219	81639	7333	236	0
3	Combustion in manufacturing industry	22008	10654	845	556	4508	5352	159	0
4	Production processes	0	0	0	0	0	1152	0	0
5	Extraction and distrib. Of fossil fuels / geothermal energy	0	0	7203	11810	35585	0	0	0
6	Solvent and other product use	0	0	47922	0	0	83	0	0
7	Road transport	4995	98715	91963	1658	526428	8822	335	0
8	Other mobile sources and machinery	11845	65266	9029	334	32846	3666	180	1
9	Waste treatment and disposal	0	1341	380	70253	871	248	4	0
10	Agriculture and forestry, land use and wood stock change	724	1448	30351	334951	289565	0	8749	104215
11	Nature	0	0	0	354238	0	0	5475	0
	<b>Total</b>	<b>197435</b>	<b>284880</b>	<b>197506</b>	<b>781047</b>	<b>978815</b>	<b>50830</b>	<b>15944</b>	<b>104216</b>

### Summary table of annual national emissions 1990

SNAP code	Category	SO <sub>2</sub>	NO <sub>x</sub>	NMVOC	CH <sub>4</sub>	CO	CO <sub>2</sub>	N <sub>2</sub> O	NH <sub>3</sub>
		[tonnes]	[tonnes]	[tonnes]	[tonnes]	[tonnes]	[ktonnes]	[tonnes]	[tonnes]
1	Combustion in energy and transformation industries	133318	95801	1161	1074	8000	25849	867	0
2	Non-industrial combustion plants	11227	7210	8756	6221	82445	7042	227	0
3	Combustion in manufacturing industry	21496	10703	909	568	4795	5337	159	0
4	Production processes	327	806	0	0	0	1006	0	0
5	Extraction and distrib. Of fossil fuels / geothermal energy	0	0	7535	11747	33254	0	0	0
6	Solvent and other product use	0	0	42298	0	0	75	0	0
7	Road transport	5345	102192	97812	1819	546023	9241	355	132
8	Other mobile sources and machinery	10581	63984	8497	314	30016	3573	176	1
9	Waste treatment and disposal	0	1299	368	71184	844	240	4	0
10	Agriculture and forestry, land use and wood stock change	0	0	10779	328553	0	0	8712	101379
11	Nature	0	0	0	354238	0	0	5475	0
	<b>Total</b>	<b>182294</b>	<b>281995</b>	<b>178115</b>	<b>775718</b>	<b>705377</b>	<b>52363</b>	<b>15975</b>	<b>101512</b>

### Summary table of annual national emissions 1991

SNAP code	Category	SO <sub>2</sub>	NO <sub>x</sub>	NMVOC	CH <sub>4</sub>	CO	CO <sub>2</sub>	N <sub>2</sub> O	NH <sub>3</sub>
		[tonnes]	[tonnes]	[tonnes]	[tonnes]	[tonnes]	[ktonnes]	[tonnes]	[tonnes]
1	Combustion in energy and transformation industries	188450	135290	1392	1286	9393	34766	1150	0
2	Non-industrial combustion plants	11870	7627	9481	6708	94100	7290	234	0
3	Combustion in manufacturing industry	23246	11343	908	596	4796	5669	168	0
4	Production processes	0	0	0	0	0	1178	0	0
5	Extraction and distrib. of fossil fuels / geothermal energy	0	0	6943	12326	42374	0	0	0
6	Solvent and other product use	0	0	41871	0	0	73	0	0
7	Road transport	5052	95439	94278	1759	533236	9014	401	229
8	Other mobile sources and machinery	11892	67648	8789	320	31091	3852	189	1
9	Waste treatment and disposal	0	2677	758	72565	1738	495	9	0
10	Agriculture and forestry, land use and wood stock change	0	0	10763	330368	0	0	8666	101313
11	Nature	0	0	0	354238	0	0	5475	0
	<b>Total</b>	<b>240510</b>	<b>320024</b>	<b>175183</b>	<b>780166</b>	<b>716728</b>	<b>62337</b>	<b>16292</b>	<b>101543</b>

### Summary table of annual national emissions 1992

SNAP code	Category	SO <sub>2</sub>	NO <sub>x</sub>	NMVOC	CH <sub>4</sub>	CO	CO <sub>2</sub>	N <sub>2</sub> O	NH <sub>3</sub>
		[tonnes]	[tonnes]	[tonnes]	[tonnes]	[tonnes]	[ktonnes]	[tonnes]	[tonnes]
1	Combustion in energy and transformation industries	143689	93011	1358	1241	9022	29392	994	0
2	Non-industrial combustion plants	10797	7325	9620	6792	96263	7092	228	0
3	Combustion in manufacturing industry	21683	11511	892	587	4646	5775	166	0
4	Production processes	0	0	0	0	0	1300	0	0
5	Extraction and distrib. of fossil fuels / geothermal energy	0	0	6221	12393	40867	0	0	0
6	Solvent and other product use	0	0	41442	0	0	71	0	0
7	Road transport	3310	93819	89493	1741	500774	9155	502	415
8	Other mobile sources and machinery	8310	66144	8594	309	30123	3673	182	1
9	Waste treatment and disposal	0	2765	783	72988	1795	511	9	0
10	Agriculture and forestry, land use and wood stock change	0	0	10750	334570	0	0	8634	105514
11	Nature	0	0	0	354238	0	0	5475	0
	<b>Total</b>	<b>187789</b>	<b>274575</b>	<b>169153</b>	<b>784859</b>	<b>683490</b>	<b>56969</b>	<b>16190</b>	<b>105930</b>

### Summary table of annual national emissions 1993

SNAP code	Category	SO <sub>2</sub>	NO <sub>x</sub>	NMVOC	CH <sub>4</sub>	CO	CO <sub>2</sub>	N <sub>2</sub> O	NH <sub>3</sub>
		[tonnes]	[tonnes]	[tonnes]	[tonnes]	[tonnes]	[ktonnes]	[tonnes]	[tonnes]
1	Combustion in energy and transformation industries	112769	97246	1376	1256	8914	30864	1044	0
2	Non-industrial combustion plants	10587	7456	9379	6628	96026	7248	228	0
3	Combustion in manufacturing industry	20395	11428	895	607	4639	5731	165	0
4	Production processes	0	0	0	0	0	1311	0	0
5	Extraction and distrib. Of fossil fuels / geothermal energy	0	0	6387	13187	35050	0	0	0
6	Solvent and other product use	0	0	42761	0	0	69	0	0
7	Road transport	1544	89472	81731	1661	462603	9323	647	687
8	Other mobile sources and machinery	8293	64712	8460	303	29228	3738	178	1
9	Waste treatment and disposal	0	2408	682	72920	1564	445	8	0
10	Agriculture and forestry, land use and wood stock change	0	0	10637	348252	0	0	8019	103818
11	Nature	0	0	0	354238	0	0	5475	0
	<b>Total</b>	<b>153588</b>	<b>272722</b>	<b>162308</b>	<b>799052</b>	<b>638024</b>	<b>58729</b>	<b>15764</b>	<b>104506</b>

### Summary table of annual national emissions 1994

SNAP code	Category	SO <sub>2</sub>	NO <sub>x</sub>	NMVOC	CH <sub>4</sub>	CO	CO <sub>2</sub>	N <sub>2</sub> O	NH <sub>3</sub>
		[tonnes]	[tonnes]	[tonnes]	[tonnes]	[tonnes]	[ktonnes]	[tonnes]	[tonnes]
1	Combustion in energy and transformation industries	111319	105791	1500	1389	9204	35220	1164	0
2	Non-industrial combustion plants	7834	5838	8226	5819	94141	6285	193	0
3	Combustion in manufacturing industry	22516	11789	771	666	4429	5857	173	0
4	Production processes	4481	600	8969	1385	0	1659	0	26
5	Extraction and distrib. of fossil fuels / geothermal energy	0	0	6664	15664	39697	0	0	0
6	Solvent and other product use	0	0	40589	0	0	68	0	0
7	Road transport	1640	87835	74085	1576	412995	9648	816	993
8	Other mobile sources and machinery	8035	56016	12452	684	61593	3602	160	6
9	Waste treatment and disposal	520	2561	684	74977	1530	441	8	0
10	Agriculture and forestry, land use and wood stock change	0	0	10609	325803	0	0	7822	99575
11	Nature	0	0	0	354238	0	0	5475	0
	<b>Total</b>	<b>156345</b>	<b>270430</b>	<b>164549</b>	<b>782201</b>	<b>623589</b>	<b>62780</b>	<b>15811</b>	<b>100600</b>

### Summary table of annual national emissions 1995

SNAP code	Category	SO <sub>2</sub>	NO <sub>x</sub>	NMVOC	CH <sub>4</sub>	CO	CO <sub>2</sub>	N <sub>2</sub> O	NH <sub>3</sub>
		[tonnes]	[tonnes]	[tonnes]	[tonnes]	[tonnes]	[ktonnes]	[tonnes]	[tonnes]
1	Combustion in energy and transformation industries	106621	91445	1626	1561	9253	31690	1051	0
2	Non-industrial combustion plants	9783	7283	9850	6919	95930	7039	218	0
3	Combustion in manufacturing industry	19077	10608	631	552	3241	5426	154	0
4	Production processes	3237	600	10124	1407	0	1311	0	0
5	Extraction and distrib. of fossil fuels / geothermal energy	0	0	6875	16353	43867	0	0	0
6	Solvent and other product use	0	0	40153	0	0	66	0	0
7	Road transport	1672	83763	67584	1490	379858	9731	921	1186
8	Other mobile sources and machinery	8077	56795	12515	681	61798	3591	163	5
9	Waste treatment and disposal	203	1837	521	74536	1196	334	6	26
10	Agriculture and forestry, land use and wood stock change	0	0	10275	323318	0	0	8516	97982
11	Nature	0	0	0	354238	0	0	5475	0
	<b>Total</b>	<b>148670</b>	<b>252331</b>	<b>160154</b>	<b>781055</b>	<b>595143</b>	<b>59188</b>	<b>16504</b>	<b>99199</b>

### Summary table of annual national emissions 1996

SNAP code	Category	SO <sub>2</sub> [tonnes]	NO <sub>x</sub> [tonnes]	NM VOC [tonnes]	CH <sub>4</sub> [tonnes]	CO [tonnes]	CO <sub>2</sub> [ktonnes]	N <sub>2</sub> O [tonnes]	NH <sub>3</sub> [tonnes]
1	Combustion in energy and transformation industries	144869	126612	1818	1596	10742	43990	1431	0
2	Non-industrial combustion plants	12523	7808	11513	7481	120368	7620	236	0
3	Combustion in manufacturing industry	16703	15626	1030	640	6328	6461	183	0
4	Production processes	2691	504	10884	202	0	1388	0	0
5	Extraction and distrib. of fossil fuels / geothermal energy	0	0	6875	16353	43867	0	0	0
6	Solvent and other product use	0	0	39724	0	0	64	0	0
7	Road transport	1776	79334	60925	2795	354846	10142	1008	1277
8	Other mobile sources and machinery	6823	55843	11924	675	60120	3573	168	6
9	Waste treatment and disposal	274	1954	543	74208	1250	378	7	0
10	Agriculture and forestry, land use and wood stock change	0	0	10256	321182	0	0	8537	97984
11	Nature	0	0	0	354238	0	0	5475	0
	<b>Total</b>	<b>185659</b>	<b>287681</b>	<b>155492</b>	<b>779370</b>	<b>597521</b>	<b>73616</b>	<b>17045</b>	<b>99267</b>

# National Environmental Research Institute

The National Environmental Research Institute, NERI, is a research institute of the Ministry of Environment and Energy. In Danish, NERI is called *Danmarks Miljøundersøgelser (DMU)*. NERI's tasks are primarily to conduct research, collect data, and give advice on problems related to the environment and nature.

## Addresses:

URL: <http://www.dmu.dk>

National Environmental Research Institute  
Frederiksborgvej 399  
PO Box 358  
DK-4000 Roskilde  
Denmark  
Tel: +45 46 30 12 00  
Fax: +45 46 30 11 14

*Management*  
*Personnel and Economy Secretariat*  
*Research and Development Section*  
*Department of Atmospheric Environment*  
*Department of Environmental Chemistry*  
*Department of Policy Analysis*  
*Department of Marine Ecology and Microbiology*

National Environmental Research Institute  
Vejløsøvej 25  
PO Box 413  
DK-8600 Silkeborg  
Denmark  
Tel: +45 89 20 14 00  
Fax: +45 89 20 14 14

*Department of Lake and Estuarine Ecology*  
*Department of Terrestrial Ecology*  
*Department of Streams and Riparian areas*

National Environmental Research Institute  
Grenåvej 12, Kalø  
DK-8410 Rønde  
Denmark  
Tel: +45 89 20 17 00  
Fax: +45 89 20 15 14

*Department of Landscape Ecology*  
*Department of Coastal Zone Ecology*

National Environmental Research Institute  
Tagensvej 135, 4  
DK-2200 København N  
Denmark  
Tel: +45 35 82 14 15  
Fax: +45 35 82 14 20

*Department of Arctic Environment*

## Publications:

NERI publishes professional reports, technical instructions, and the annual report. A R&D projects' catalogue is available in an electronic version on the World Wide Web.

Included in the annual report is a list of the publications from the current year.

## Faglige rapporter fra DMU/NERI Technical Reports

### 1999

- Nr. 263: Assessing the Impact of the Tunø Knob Wind Park on Sea Ducks. The Influence of Food Resources. By Guillemette, M., Larsen, J.K. & Clausager, I. 20 pp., 40,00 DKK.
- Nr. 264: Phenoler i drikkevand. Præstationsprøvning. Af Nyeland, B. & Kvamm, B. 159 s., 80,00 kr.
- Nr. 265: Analyse af emissioner fra vejtrafikken. Sammenligning af emissionsfaktorer og beregningsmetoder i forskellige modeller. Af Winther, M. 120 s., 100,00 kr.
- Nr. 266: Biodiversity in Benthic Ecology. Proceedings from Nordic Benthological Meeting in Silkeborg, Denmark, 13-14 November 1997. By Friberg, N. & Carl, J.D. (eds.). 139 pp., 125,00 DKK.
- Nr. 267: Overvågning af fugle 1997-98, resultater fra feltstationerne. Af Laursen, K. (red.). 87 s., 70,00 kr.
- Nr. 268: Phtalates and Nonylphenols in Soil. A Field Study of Different Soil Profiles. By Vikelsøe, J., Thomsen, M., Johansen, E. & Carlsen, L. 126 pp., 50,00 DKK.
- Nr. 269: Tålegrænser for luftforurening. Anvendelse i strategisk miljøplanlægning. Integreret MiljøInformationsSystem IMIS-luftforurening. Af Bastrup-Birk, A., Tybirk, K., Wier, M. & Emborg, L. 123 s., 150,00 kr.
- Nr. 270: Produktion og forekomst af svovlbrinte i Mariager Fjord 1998. Af Fossing, H. & Christensen, P.B. 17 s., 40,00 kr.
- Nr. 271: Proceedings of the 12<sup>th</sup> Task Force Meeting in Silkeborg, Denmark, October 23-25, 1996. Convention on Long-Range Transboundary Air Pollution. International Cooperative Programme on Assessment and Monitoring of Acidification of Rivers and Lakes. By Larsen, S.E., Friberg, N. & Rebsdorf, Aa. (eds.). 49 pp., 40,00 DKK.
- Nr. 272: Forbrug af økologiske fødevarer. Del 1: Den økologiske forbruger. Af Wier, M. & Calverley, C. 130 s., 120,00 kr.
- Nr. 273: Mink *Mustela vison* og ilder *M. putorius*. Mink- og ilderjagten i Danmark 1996/97 og problemer med de to arter i forhold til små fjerkræhold. Af Hammershøj, M. & Asferg, T. 54 s., 60,00 kr.
- Nr. 274: Modeller til bestemmelse af Naturkvalitet på udvalgte Naturtyper ved anvendelse af Neurale netværk. Af Mark, S. & Strandberg, M. 70 s., 60,00 kr.
- Nr. 275: Indpasning af rekreative aktiviteter i forhold til fugleliv og odder i Skjern Å Naturprojekt - en biologisk udredning. Af Madsen, J., Madsen, J.B. & Petersen, I.K. 38 s., 40,00 kr.
- Nr. 276: Grønlandske gåsebestande - en oversigt. Af Boertmann, D. & Glahder, C. 59 s., 60,00 kr.
- Nr. 277: Miljøundersøgelser ved Maarmorilik 1998. Af Johansen, P., Asmund, G. & Riget, F. 73 s., 100,00 kr.
- Nr. 278: Luftforurening ved en planlagt udvidelse af Billund Lufthavn. Undersøgelse udført af Danmarks Miljøundersøgelser for Billund Lufthavn. Af Berkowicz, R., Fenger, J. & Winther, M. 88 s., 100,00 kr.
- Nr. 279: Pesticider i drikkevand 2. Præstationsprøvning. Af Nyeland, B.A. 261 s., 80,00 kr.
- Nr. 280: Vurdering af effekten af en vindmøllepark ved Overgaard på forekomsten af fugle i EF-fuglebeskyttelsesområde nr. 15. Af Clausen, P. & Larsen, J.K. 31 s., 40,00 kr.
- Nr. 281: Control of Pesticides 1998. Chemical Substances and Chemical Preparations. By Krongaard, T. & Petersen, K.K. 23 pp., 50,00 kr.
- Nr. 282: Vingeindsamling fra jagtsæsonen 1998/99 i Danmark. Wing Survey from the 1998/99 Hunting Season in Denmark. Af Clausager, I. 47 s., 40,00 kr.
- Nr. 283: Krager, husskader og småvildt. En vurdering af prædationens effekt på småvildtbestande og muligheden for at begrænse effekten ved jagt og regulering. Af Asferg, T. 62 s., 60,00 kr. (i trykken).
- Nr. 284: Anskydning af vildt. Status for undersøgelser 1999. Af Noer, H., Hartmann, P., Christensen, T.K., Kanstrup, N. & Hansen, E.B. (i trykken).
- Nr. 285: Naturkvalitet - kriterier og metodeudvikling. Af Nygaard, B., Mark, S., Baattrup-Pedersen, A., Dahl, K., Ejrnæs, R., Fredshavn, J., Hansen, J., Lawesson, J., Münier, B., Møller, P.F., Risager, M., Rune, F., Skriver, J., Søndergaard, M. 126 s., 130,00 kr. (i trykken).

Ministry of Environment and Energy  
National Environmental Research Institute

ISBN 87-7772-488-7  
ISSN (trykt) 0905-815X  
ISSN (elektronisk) 1600-0048